

## 都市環境・環境地理学講座

### 都市環境動態論分野

- A grand design of future electric vehicle to reduce urban warming and CO<sub>2</sub> emissions in urban area. [Renewable Energy, 30, (2005), 1847-1860] T. S. Saitoh, N. Yamada, D. Ando, and K. Kurata
- 太陽熱発電のためのマイクロ3次元CPCソーラーコレクタに関する研究。[日本機械学会論文集, 71(710B), (2005), 147-152] 斎藤武雄, 加藤潤
- 容積型ソーラーオーガニックランキンサイクルシステムに関する研究。[日本機械学会論文集, 71(703B), (2005), 242-248] 斎藤武雄, 山田昇, 若嶋振一郎
- Advanced 3D-CPC Solar Collector for Thermal Electric System. [Proc. of ISES Solar World Congress 2005, (CDROM), (2005)] T. S. Saitoh, N. Yamada, and J. Kato
- Performance of Supercooled Thermal Energy Storage Unit with Practical Dimensions. [Proc. of the 3rd IECEC, (CDROM), (2005)] S. Hirano and T. S. Saitoh

### 自然環境地理学分野・人間環境地理学分野

- 仙台市中心部を対象とした夏季温熱・空気環境実測その3 定禪寺通を対象とした詳細測定。[日本建築学会東北支部研究報告会 平成17年6月, (2005), 25-30] 幡谷尚子, 岩田達明, 柴田久一郎, 十二村佳樹, 持田灯, 境田清隆, 渡辺浩文, 吉野博
- 仙台市中心部を対象とした夏季温熱・空気環境実測その5 都市内公園の温熱・空気環境。[日本建築学会東北支部研究報告会 平成17年6月, (2005), 33-36] 渡辺浩文, 十二村佳樹, 川口めぐみ, 柴田久一郎, 境田清隆, 持田灯
- 環境としての気候と統計データ。[統計, 56(9), (2005), 7-12] 境田清隆
- 仙台市史 通史編5近世3。[仙台市, (2005) 138-152] 境田清隆
- 日本の地形 第3巻 東北。[東京大学出版会, (2005) 27-32] 境田清隆

### 流域環境研究分野

- 2003年スリランカ南西部水害調査報告。[水工学論文集, 49, (2005), 433-444] 小松利光, 田中仁, 戸田圭一, 清水康行, 藤田正治, 石野和男, 風間聰, 牛山素行, 勝瀬良博, Srikantha Herath, Bandara Nawarathna
- 雪域における融雪期の植生活動と気候因子の解析。[水工学論文集, 49, (2005), 313-318] 朝岡良浩, 風間聰, 沢本正樹
- 全日本の積雪水量、積雪深、全層積雪密度分布推定。[水工学論文集, 49, (2005), 301-306] 泉宏和, 風間聰, 戸塚岳大, 沢本正樹
- 森林が積雪量に及ぼす影響に関する検討。[水工学論文集, 49, (2005), 295-300] 戸塚岳大, 風間聰, 沢本正樹
- Effect of Geomorphologic resolution on Hydrograph at different scale. [水工学論文集, 49, (2005), 223-228] Hye Jin Ku, So KAZAMA, and Masaki Sawamoto
- 落葉層の貯留効果に関する基礎的研究。[水工学論文集, 49, (2005), 187-192] 川越清樹, 風間聰, 佐藤栄司, 沢本正樹
- Effect of sea level rise on the loss of fresh groundwater resources : Case study of Western American coast and Bay of Bengal. [水工学論文集, 49, (2005), 97-102] Priyantha Ranjan, So KAZAMA, and Masaki Sawamoto

Bengal. [水工学論文集, 49, (2005), 97-102] Priyantha Ranjan, So KAZAMA, and Masaki Sawamoto

- Development of integrated water quality-hydrological model for a large basin. [MTERM Proc, (2005), 385-392] Pichet Chaiwatworakul, Masaki Sawamoto, and So KAZAMA
- NDVI-蒸発散量線形関係式に関する考察と適用性。[土木学会論文集, 796, (2005), 1-10] 風間聰, 沢本正樹, 渡辺浩明
- 数値地図情報を用いた河川のポテンシャル健全度の評価。[土木学会論文集, 796, (2005), 11-21] 風間聰, 土田恭平, 沢本正樹
- Verification experiment on effect of litter layer on water storage. [Proceedings of XXXI IAHR Congress, Theme A, (2005), 447-454] Seiki Kawagoe, So KAZAMA and Masaki Sawamoto
- Effect of spatial resolution on hydrograph at various scales. [Proceedings of XXXI IAHR Congress, Theme A, (2005), 899-908] Hyejin Ku, So KAZAMA and Masaki Sawamoto

● Influence of local hydraulic characteristic to water quality in a river. [Proceedings of XXXI IAHR Congress, Theme C, (2005), 2253-2260] Pichet Chaiwatworakul, So KAZAMA and Masaki Sawamoto

● Assessment of groundwater vulnerability in Walawe River basin, Sri Lanka. [Proceedings of XXXI IAHR Congress, Theme F, (2005), 4381-4394] Priyantha Ranjan, Ashim Das Gupta, So KAZAMA, and Masaki Sawamoto

● Analysis of river temperature based on a hydrological model. [Proceedings of XXXI IAHR Congress, Theme F, (2005), 4636-4644] Jun-ichi Shiraiwa, So KAZAMA, and Masaki Sawamoto

● 水理氾濫モデルを用いたメコン河氾濫時の感染症危険度評価。[環境工学論文集, 42, (2005), 443-450] 相澤寿樹, 風間聰, 渡部徹, 沢本正樹

● Estimation of rating-curve parameters for sedimentation using a physical model. [Hydrological Processes, 19(19), (2005), 3863-3871] So KAZAMA, Kenji Suzuki, Masaki Sawamoto

## 国際環境・地域環境学講座

### 国際経済環境研究分野

- アンチ・ダンピングとWTO紛争解決手続き。[文眞堂「日本の新通商政策-WTOとFTAへの対応」(2005), 24-38] 佐竹正夫(馬田啓一・浦田秀次郎・木村福成編)
- 木材生産を通じた炭素の収支分析 一福岡県八女地域を事例として。[日本森林学会誌, 87, (2005), 313-322] 能本美穂, 吉本敦, 柳原宏和
- Effect of thinning subsidies on sustainable forest stand management through a dynamic optimization model DP-KYSS. [森林計画学会出版局, (2005), 387-404] Yoshimoto, A. and Nomoto, M.
- 最適林分經營モデルによる間伐計画最適化と炭素吸収量。[森林計画学会出版局, (2005), 71-91] 吉本敦, 柳原宏和, 能本美穂
- 単純同齡林における林木成長パターンのクラスタリング。

[森林計画学会出版局, (2005), 49-69] 柳原宏和, 吉本敦

- Searching for the minimum threshold price toward sustainable forest stand management under stochastic economic environments. [森林計画学会出版局, (2005), 107-124] Yoshimoto, A.
- Time series analysis on timber prices from the national statistics and two private auction markets in Kyushu, Japan. [森林計画学会出版局, (2005), 83-105] Yukutake, K., Higuchi, K. and Yoshimoto, A.
- Carbon balance analysis on timber production from plantation to lumber production. [森林計画学会出版局, (2005), 41-54] Nomoto, M. and Yoshimoto, A.
- Statistical procedure for assessing the amount of carbon sequestered by sugi (*Criptomeria japonica*) plantation. [森林計画学会出版局, (2005), 125-140] Yanagihara, H. and Yoshimoto, A.

### 朝鮮民族文化研究分野

- 『杜詩諺解』テキスト系統研究の現況と課題<朝鮮語による> (招待論文) . [『國語國文學』韓國國語國文學會, (139), (2005), 35-59] 成澤勝

### 東アジア思想論分野

- 上博楚簡『恆先』の道家特色。[早稲田大学長江流域文化研究所年報, (3), (2005)] 浅野裕一
- 上博楚簡『恆先』的道家思想。[北京『清華大学学報』2005年第3期, (2005)] 浅野裕一
- 黃帝書『十六經』の宇宙生成論。[中国研究集刊, (39), (2005)] 浅野裕一
- 黃帝書<十六經>的宇宙生成論『出土文献研究方法論文集初集』。[台湾大学・東亞文明研究叢書, (55), (2005)] 浅野裕一
- 新出土資料と諸子百家研究。[中国研究集刊, (38), (2005)] 浅野裕一
- 上博楚簡『曹沫之陳』の兵学思想。[中国研究集刊, (38), (2005)] 浅野裕一
- 古代中国の文明觀。[岩波書店, (2005)] 浅野裕一
- 竹簡が語る古代中国思想 一上博楚簡研究。[汲古書院, (2005)] 浅野裕一編, 湯浅邦弘, 福田哲之, 竹田健二
- 古代思想史と郭店楚簡。[汲古書院, (2005)] 浅野裕一(編著)

## 太陽地球システム・エネルギー学講座

### 地球物質・エネルギー学分野

- An Experimental and Modeling Study of Na-rich Hydrothermal Alteration. [Geofluids, 5, (2005), 251-263] J. Hara and N. Tsuchiya
- Hydrothermal Quartz Vein Formation, Revealed by Coupled SEM-CL Imaging and Fluid Inclusion Microthermometry: Shuteen Complex, South Gobi, Mongolia. [Resource Geology, 55(1), (2005), 1-8] Bayarraa Batkhishig, Greg Bignall and Noriyoshi Tsuchiya
- Measurement of CO<sub>2</sub> - NaCl - H<sub>2</sub>O Fluid Mixture Critical Point by Direct Observation Using the Visible-Type Autocl.
- Use of Synthetic Fluid Inclusions As a Simultaneous Temperature-Pressure Logging Tool in High-Temperature Geothermal Reservoirs. [World Geothermal Congress 2005, (CD-ROM), (2005)] Kotaro Sekine, Greg Bignall and Noriyoshi Tsuchiya
- Reaction of Sulfur with Water under Hydrothermal Conditions. [Proc. 14th Int. Conference on the Properties of Water and Steam, (2005), 365-368] H. Lin, Z. Li, K. Tohji, N. Tsuchiya and N. Yamasaki
- Natural and Synthetic Quartz Growth and Dissolution Revealed by Scanning Electron Microscope Cathodoluminescence. [Proc. 14th Int. Conference on the Properties of Water

[Geothermal Resources Council Transactions, 29, (2005), 251-254] Hirano, N., Y. Ota, N. Tsuchiya

● Measurement of hydraulically ineffective area on a fracture under normal stress condition. [Geothermal Resources Council Transactions, 29, (2005), 413-417] Nemoto, K., H. Oka, N. Watanabe, N. Hirano and N. Tsuchiya

● Numerical Analysis of Spatial-Temporal Changes of Argillite Alteration Zoning Based on Dynamic Function of Solid-Fluid Interface. [Geothermal Resources Council Transactions, 29, (2005), 235-238] Junko HARA and Noriyoshi TSUCHIYA

● Numerical Estimation of Aperture Structure and Flow Wetted Field in Rock Fracture. [Geothermal Resources Council Transactions, 29, (2005), 431-436] Watanabe, N., N. Hirano, T. Tamagawa, K. Tezuka, and N. Tsuchiya

● Self-Oxidation and Reduction Reaction of Sulfur in Seawater for Georeactor and Hydrogen Generation. [Geothermal Resources Council Transactions, 29, (2005), 747-750] Kabuta, T., Y. Suto, N. Tsuchiya

● THE SHUTEEN CU-AU PORPHYRY DEPOSIT. [IAGOD Guidebook Series, 11, (2005), 193-201] Greg Bignall, Bayarraa Batkhishig and Noriyoshi Tsuchiya

● ゴムを圧力媒体とした封压発生装置の開発および透水試験。[資源と素材, 121(10,11), (2005), 484-488] 平野伸夫, 渡邊則昭, 土屋範芳

● Mantle anisotropy induced by the back-arc spreading of the northeast Japan arc: an insight from peridotite xenoliths of Megata volcano. [Ophioliti, 30(2), (2005), 209-] Michibayashi K., Satsukawa, T., Okamoto A., Michikura K., Abe, N.

● Progress of actinolite-forming reactions in mafic schists during retrograde metamorphism: An example from the Sanbagawa metamorphic belt in central Shikoku, Japan. [Journal of Metamorphic Geology, 23, (2005), 335-356] Atsushi Okamoto Mitsuhiro Toriumi

● Progressive shape evolution of a mineral inclusion under differential stress at high temperature: Example of garnet inclusions within a granulite-facies quartzite from the Luzow-Holm Complex, East Antarctica. [Journal of Geophysical Research, (2005)] Atsushi Okamoto, Katsuyoshi Michibayashi

● Geothermal Resources and Development in Mongolia: Country Update. [World Geothermal Congress 2005, (CD-ROM), (2005)] Greg Bignall, Purevsuren Dorj, Bayarraa Batkhishig and Noriyoshi Tsuchiya

● Use of Synthetic Fluid Inclusions As a Simultaneous Temperature-Pressure Logging Tool in High-Temperature Geothermal Reservoirs. [World Geothermal Congress 2005, (CD-ROM), (2005)] Kotaro Sekine, Greg Bignall and Noriyoshi Tsuchiya

● Reaction of Sulfur with Water under Hydrothermal Conditions. [Proc. 14th Int. Conference on the Properties of Water and Steam, (2005), 365-368] H. Lin, Z. Li, K. Tohji, N. Tsuchiya and N. Yamasaki

● Natural and Synthetic Quartz Growth and Dissolution Revealed by Scanning Electron Microscope Cathodoluminescence. [Proc. 14th Int. Conference on the Properties of Water

and Steam, (2005), 296-302] B. Rusk, M. Reed, D. Krinsley, G. Bignall and N. Tsuchiya  
 ● Formation of Aluminum Silicate Film on Ni alloy Surface in the System of Granite-Cu under Low Pressure-Hydrothermal Conditions. [Proc. 14th Int. Conference on the Properties of Water and Steam, (2005), 369-372] H. Kato, Y. Jin, I. Korablova, L. Liu, K. Ioku, A. Minagawa, G. Bignall, N. Tsuchiya and N. Yamasaki  
 ● 管理型廃棄物埋立護岸の地震時変形挙動に関する模型振動実験. [海洋開発論文集, Vol. 21, (2005), 843-848] 犬野真吾, 小田勝也, 吉田誠, 三藤正明  
 ● 管理型廃棄物埋立護岸の地震時変形挙動に関する実験的検討. [土木学会地震工学論文集, Vol. 28, (2005), CD-ROM] 犬野真吾, 小田勝也, 吉田誠, 三藤正明  
 ● ジオメンブレンの折れ曲がり特性. [ジオシンセティックス論文集, Vol. 20, (2005), 141-150] 近藤三樹郎, 犬野真吾, 小田勝也, 渡辺克也, 永治勇吉  
 ● 地震動の違いによる遮水工の動的変形特性に関する模型振動実験. [ジオシンセティックス論文集, Vol. 20, (2005), 47-52] 犬野真吾, 小田勝也, 吉田誠, 三藤正明, 秋本哲平  
 ● 遮水シートの水圧膨張変形に関するスケール効果と応力ひずみ挙動の評価. [ジオシンセティックス論文集, Vol. 20, (2005), 185-192] 犬野真吾, 小田勝也, 近藤三樹郎  
 ● 水圧膨張実験における遮水シート・不織布の変形強度特性に関する研究. [国土技術政策総合研究所資料, No. 213, (2005), 22] 犬野真吾, 小田勝也, 近藤三樹郎  
 ● 遮水シートを用いた遮水工を有する管理型廃棄物埋立護岸の地震時変形に関する実験的研究. [国土技術政策総合研究所資料, No. 256, (2005), 39] 犬野真吾, 小田勝也  
 ● An experimental study on felsic rock - artificial seawater interaction; implications for hydrothermal alteration and sulfate formation in the Kuroko mining area of Japan. [Mineralium Deposita, 34, (2005), 813-821] Ogawa YU, Shikazono N, Ishiyama D, Sato H, Mizuta T.

#### 太陽地球計測学分野

● A linear model based noise evaluation of a capacitive servo-accelerometer fabricated by MEMS. [IEICE Electronics Express, 2(6), (2005), 1-7] Y. Yoshida, H. Kakuma, H. Asanuma, and H. Niitsuma  
 ● Application of Coherence Collapsing Relocation Method to Induced Microseismicity Collected at European and Australian Hot Dry Rock Sites. [Proc. AGU/SEG/SABS/AAS 2005 Joint Assembly, (CD-ROM), (2005)] H. Asanuma, T. Izumi, H. Niitsuma, R. Baria, and D. Wyborn  
 ● Application of the Coherence Collapsing relocation method to the aftershocks of 1995 Kobe earthquake. [Eos Trans. AGU, 86(52), Fall Meet. Suppl., Abstract, (2005), S42A-01] H. Shiraishi, T. Matsuoka, H. Asanuma  
 ● Estimation of detailed reservoir structure at Cooper Basin HDR field, Australia, by using microseismic multiplet. [Transactions of Geothermal Resources Council, 29, (2005), 93-97] Y. Kumano, H. Moriya, H. Asanuma, D. Wyborn, H. Niitsuma  
 ● Interpretation of microseismic events with larger magnitude collected at Cooper Basin, Australia. [Transactions of Geothermal Resources Council, 29, (2005), 87-91] H. Asanuma, H. Nozaki, H. Niitsuma, D. Wyborn  
 ● Microseismic Monitoring of Hydraulic Stimulation at the Australian HDR Project in Cooper Basin. [Proceedings of World Geothermal Congress 2005, (CD-ROM), (2005)] H. Asanuma, N. Soma, H. Kaieda, Y. Kumano, T. Izumi, K. Tezuka, H. Niitsuma, D. Wyborn  
 ● Development of simulator for evaluating dynamic behavior

of integrated renewable energy system with Geothermal Heat Pump. [Trans. Geothermal Resources Council, 29, (2005), 71-75] Y. Komanawa, H. Moriya, H. Asanuma and H. Niitsuma  
 ● Estimation of radiation mechanism of AE multiplet observation while hydraulic fracturing in HDR reservoir. [Proc. World Geothermal Congress 2005, (CD-ROM), (2005)] H. Asanuma, Y. Kumano, T. Izumi, N. Soma, H. Niitsuma, R. Baria  
 ● Microseismicity and permeability enhancement of hydrogeologic structures during massive fluid injections into granite at 3 km depth at the Soultz HDR site. [Geophysical Journal of International, 160, (2005), 388-412] K. F. Evans, H. Moriya, H. Niitsuma, R. H. Jones, W. S. Phillips, A. Genter, J. Sausse, R. Jung and R. Baria  
 ● Multiplet analysis for estimation of critical pore-pressure of fractures inside geothermal reservoir. [Proc. World Geothermal Congress 2005, (CD-ROM), (2005)] H. Moriya, H. Niitsuma and R. Baria  
 ● バイオマスを考慮した地域総合再生可能エネルギーシステムの設計および導入促進策の検討. [エネルギー・資源, 26(6), (2005), 11-20] 多田学, 中田俊彦, 新妻弘明, 浅沼宏  
 ● 間隙水圧の圧入にともなうき裂すべり模擬実験装置の開発と誘発すべり実験. [日本地熱学会誌, 27(1), (2005), 41-51] 根本克己, 森谷祐一, 新妻弘明  
 ● Automatic wave picking technique for multi-component microseismicity and its practical application to onsite analysis in HDR development. [Proceedings of World Geothermal Congress 2005, (CD-ROM), (2005)] N. Soma, T. Takehara, H. Asanuma, H. Niitsuma, R. Baria, S. Michelet, D. Wyborn  
 ● Creation and Mapping of 5000 m deep HDR/HFR Reservoir to Produce Electricity. [Proceedings of World Geothermal Congress 2005, (CD-ROM), (2005)] R. Baria, S. Michelet, J. Baumgaertner, B. Dyer, A. Gerard, T. Hettkamp, D. Teza, N. Soma, H. Asanuma, J. Garnish  
 ● Delineation of Reservoir Structure by the Coherence Collapsing Relocation Technique of Microseismicity. [Proceedings of World Geothermal Congress 2005, (CD-ROM), (2005)] H. Asanuma, T. Izumi, H. Niitsuma, R. Jones, R. Baria  
 ● Direct estimation of the Rayleigh wave phase velocity in microtremors. [Eos Trans. AGU, 86(52), Fall Meet. Suppl., Abstract, (2005), S42A-01] H. Shiraishi, T. Matsuoka, H. Asanuma  
 ● Estimation of detailed reservoir structure at Cooper Basin HDR field, Australia, by using microseismic multiplet. [Transactions of Geothermal Resources Council, 29, (2005), 93-97] Y. Kumano, H. Moriya, H. Asanuma, D. Wyborn, H. Niitsuma  
 ● Interpretation of microseismic events with larger magnitude collected at Cooper Basin, Australia. [Transactions of Geothermal Resources Council, 29, (2005), 87-91] H. Asanuma, H. Nozaki, H. Niitsuma, D. Wyborn  
 ● Microseismic Monitoring of Hydraulic Stimulation at the Australian HDR Project in Cooper Basin. [Proceedings of World Geothermal Congress 2005, (CD-ROM), (2005)] H. Asanuma, N. Soma, H. Kaieda, Y. Kumano, T. Izumi, K. Tezuka, H. Niitsuma, D. Wyborn  
 ● Development of simulator for evaluating dynamic behavior

#### 地殻システム情報学分野

● Monitoring of Reservoir Behavior at Soultz HDR Field by Super-Resolution Microseismic Mapping. [Proceedings of World Geothermal Congress 2005, (CD-ROM), (2005)] H. Asanuma, Y. Kumano, T. Izumi, N. Soma, H. Niitsuma, R. Baria  
 ● Principles of the Coherence Collapsing Relocation Method and its Application to Induced Microseismicity. [Proceedings of The Eleventh Formation Evaluation Symposium of Japan, (2005), I-1] H. Asanuma, T. Izumi, H. Niitsuma, R. Baria D. Wyborn  
 ● The Role of Geothermal Energy in the Locally Distributed Renewable Energy System (EIMY: Energy In My Yard). [Proceedings of World Geothermal Congress 2005, (CD-ROM), (2005)] H. Asanuma, H. Niitsuma, T. Nakata, Y. Niibori, H. Moriya, Y. Komanawa  
 ● スクイズフィルム効果を考慮した静電容量型マイクロ加速度センサの特性評価と設計. [電気学会論文誌 E, 25(2), (2005), 95-100] 浅沼宏, 阿曾秀明, 新妻弘明  
 ● Stratospheric Ozone and ClO Measurement Using Balloon-Borne Submillimeter Limb Sounder. [IEEE Trans. Geosci. Remote Sensing, 43(6), (2005), 1258-1265] Ochiai S., T. Tsujimaru, Y. Irimajiri, T. Manabe, and I. Murata  
 ● Temporal variations of HCl, HF, O<sub>3</sub>, and HNO<sub>3</sub> observed at Tsukuba with Fourier transform spectrometer. [Proceedings of the 6th International Conference on Global Change: Connection to the Arctic, (2005), 59-62] Murata, I., H. Nakajima, H. Nakane, and H. Fukunishi  
 ● FT-IR観測によるつくばでのオゾンおよび関連成分の変動. [第15回大気化学シンポジウム研究集会講演集, 1, (2005), 308] 村田功, 中島英彰, 中根英昭, 福西浩  
 ● 光学オゾンゾンデ観測に見られる三陸上空上部成層圏オゾンの経年変化. [平成16年度大気球シンポジウム報告書, 1, (2005), 67-69] 村田功, 岡野章一, 福西浩, 佐藤薰, 堀雅基

#### 地殻システム情報学分野

● Anisotropic and Heterogeneous Water Flow in a Sheared Fracture as Estimated in Large Synthetic Fractures. [Geothermal Resources Council Transactions, 29, (2005), 401-406] Koji Matsuki, Yusuke Chida, Kiyotoshi Sakaguchi  
 ● 残壁ハンドブック. [丸善, (2005) 165-172] 松木浩二  
 ● 残壁ハンドブック. [丸善, (2005) 183-201] 坂口清敏  
 ● 水中アブレシブウォータージェットによる油井用鋼管のバーフォレーション. [石油技術協会誌, 70(6), (2005), 554-567] 木崎彰久, 高橋智誓, 松木浩二, 小山研也, 田村一浩, 小勝武  
 ● 断層の影響を考慮した広域応力場評価法に関する研究. [資源と素材, 121(12), (2005), 564-575] 松木浩二, 内藤徳人, 加藤俊樹, 中間茂雄, 佐藤稔紀

#### 地球開発環境学分野

● A New Recycling System of High Water Content Mud: Production of High Quality Soil from Construction Sludge. [Proc. of the 5th Int. Conference on Micromechanics of Granular Media, 2, (2005), 1067-1071] H. Takahashi, M. Mori and K. Kumakura  
 ● Study on Development of Neutral Fiber Solidification Material by use of Wasted Gypsum Boards and its Application to Soil Improvement. [Proc. of 3rd International Workshop on Earth Science and Technology, 1, (2005), 161-170] H. Takahashi, H. Akuzawa and M. Mori  
 ● Study on Durability of Fiber-Cement-Stabilized Mud Produced from Construction Sludge in Freezing and Thawing Tests. [Proc. of the 5th Int. Conf. on Materials Engineering for Resources, (CD-ROM), (2005)] H. Takahashi, M. Mori and K. Kumakura  
 ● Study on Environmental Preservation Type Soil Restoration Method to Reduce the Marine Damage due to Outflow of Red Soil. [Proc. of 3rd International Workshop on Earth Science and Technology, 1, (2005), 187-196] H. Takahashi, H. Nakamura, M. Mori and K. Kumakura  
 ● Study on Recycling of Dehydration Cake Produced from Crushed Rock Quarries. [Proc. of 3rd International Workshop on Earth Science and Technology, 1, (2005), 81-88] H. Takahashi, K. Yoshimoto and Y. Suto  
 ● Study on Recycling of Wasted Soils and Paper Sludge: Application of Paper Sludge to Soil Improvement. [Proc. of 3rd International Workshop on Earth Science and Technology, 1, (2005), 177-185] H. Takahashi, M. Doi, M. Mori and Y. Suto  
 ● Study on Task Planning for Autonomous Scooping of Crushed Rocks by an Intelligent Wheel Loader with a Stereo Vision System. [Proc. of 15th International Conference of the Int. Society for Terrain-Vehicle Systems, (CD-ROM), (2005)] Hiroshi TAKAHASHI and Hazumu ABE  
 ● 建設汚泥の新しい再資源化処理工法—繊維質固化処理工法と生成土の強度特性—. [建設施工と建設機械シンポジウム論文集, 1, (2005), 17-24] 高橋弘, 森雅人  
 ● 繊維質固化処理土の乾湿繰り返し試験による耐久性に関する実験的研究. [資源・素材学会誌, 121(2-3), (2005), 37-43] 森雅人, 高橋弘, 熊倉宏治  
 ● 繊維質固化処理土の軽量盛土材としての活用. [平成17年度新技術情報交換会論文集, 1, (2005), 51-56] 熊倉宏治, 森雅人, 高橋弘  
 ● 土質改良機の粘性土小割性能に関する研究. [応用力学論文集, 8, (2005), 573-582] 高橋弘, 土肥将也  
 ● Self-Oxidation and Reduction Reaction of Sulfur in Seawater for Georeactor and Hydrogen Generation. [Geothermal Resources Council Transactions, 29, (2005), 747-750] Kabuta, T., Y. Suto, N. Tsuchiya  
 ● Temperature Memory Gauge Survey and Borehole Temperature Simulation while the Conduit Well (USDP-4) Drilling. [UNZEN Workshop 2005, International Workshop on Unzen Scientific Drilling Project (USDP), (2005), 11-12] Y. Suto, H. Takahashi, N. Hatakeyama, J. Henfling

## 自然共生システム学講座

### 環境修復生態学分野

● A fundamental study of microbial attachment and transport in porous media for the design of MEOR. [石油技術協会誌, 70(5), (2005), 459-468] Yan-Guo Yang, Yuichi Niibori, Chihiro Inoue and Tadashi Chida

● 微生物を利用して有用資源を回収する「バイオリーチング」。[OHM, 92(4), (2005), 4-5] 千田信

● Characterization of *Alicyclobacillus disulfidooxidans* HIB4 Isolated from an Acid Mine Drainage Treatment Plant. [Abstracts 3rd International Workshop on Water Dynamics, (2005), 72] K. Suto, S. Joe, C. Inoue, T. Chida

● Chemical Degradation of Dichloroethylenes by Pyrite. [Abstracts 3rd International Workshop on Water Dynamics, (2005), 42] J. Hara, C. Inoue, T. Chida, T. Komai

● Phylogenetic Characteristics of Sulfate-Reducing Bacteria Having Ability to Reduce Polysulfide. [Abstracts 3rd International Workshop on Water Dynamics, (2005), 44] Y. takahashi, K. Suto, C. Inoue, T. Chida

● Useful Ingredients Recovery from Sewage Sludge by Using Hydrothermal Reaction. [Abstracts 3rd International Workshop on Water Dynamics, (2005), 83] K. Suzuki, M. Moriyama, Y. Takahashi, C. Inoue, Y. Yamazaki

● 帶水層における汚染物質の移動に及ぼす非線形吸着の影響。[資源と素材, 121(8), (2005), 387-391] 上田泰, 原淳子, 井上千弘, 千田信

● Application of a hollow fiber gas-liquid contactor to a carbon dioxide removal process of digestion gas. [Proceedings of 1st IWA-ASPIRE Conference & Exhibition, (2005)] Hiromichi SAWAHARA, Koichi SUTO, Chihiro INOUE, Tadashi CHIDA

● Characteristics of Heterotrophic Iron Oxidizing Bacterium Isolated from an AMD Treatment Plant. [Abstracts of the 16th International Biohydrometallurgy Symposium, (2005), 300-303] Sengjin JOE, Koichi SUTO, Chihiro INOUE, Tadashi CHIDA

● Effect of Polysulfide Concentration for Biological Activity of Sulfate Reducing Bacteria. [Abstracts of the 16th International Biohydrometallurgy Symposium, (2005), 260-262] Yui TAKAHASHI, Koichi SUTO, Chihiro INOUE, Tadashi CHIDA

● Kinetics of trichloroethene dechlorination with iron powder. [Water Research, 39, (2005), 1165-1173] Junko Hara, Hiroyuki Ito, Koichi Suto, Chihiro Inoue, and Tadashi Chida

### 環境分析化学分野

● Synthesis and Crystal Structure of p-tert-Butylthiacalix[8]arene: A New Member of Thiocalixarenes. [J. Incl. Phenom. Macrocl. Chem., 52, (2005), 45-49] Yoshihiko Kondo, Ken Endo, Nobuhiko Iki, Sotaro Miyano, and Fumio Hamada

● Sulfanylcalix[4]arene-impregnated Amberlite XAD-7 resin for the separation of niobium(V) from tantalum(V). [J. Chromatogr. A, 1090, (2005), 197-200] Hiroaki Matsumiya, Shizu Yasuno, Nobuhiko Iki, Sotaro Miyano

● A Microchip Capillary Electrophoretic Reactor: a New Methodology for Direct Measurement of Dissociation Kinetics of Metal Complexes. [The Analyst, 130, (2005), 1337-1339] Toru Takahashi, Kei-ichiro Ohtsuka, Nobuhiko Iki and Hitoshi Hoshino

### 環境生命機能学分野

● A Multicellular Spheroid-Based Drug Sensitivity Test by Scanning Electrochemical Microscopy. [Oncology Reports, 13(6), (2005), 1107-1112] Y. Torisawa, A. Takagi, H. Shiku, T. Yasukawa, T. Matsue

● Amperometric nitric oxide microsensor using two-dimensional cross-linked Langmuir-Blodgett films of polysiloxane copolymer. [Sensors & Actuators B, 108, (2005), 384-388] D. Kato, M. Kunitake, M. Nishizawa, T. Matsue, F. Mizutani

● Amperometric detection of the bacterial metabolic regulation with a microbial array chip. [Biosensors & Bioelectronics, 21, (2005), 145-151] K. Nagamine, N. Matsui, T. Kaya, T. Yasukawa, H. Shiku, T. Nakayama, T. Nishino, T. Matsue

● Application of Microbial Chip for Amperometric Detection of Metabolic Alteration in Bacteria. [Sensors & Actuators B, 108, (2005), 676-682] K. Nagamine, N. Matsui, T. Kaya, T. Yasukawa, T. Nakayama, H. Shiku, T. Matsue

● Enzyme-based glucose fuel cell using Vitamin K3-immobilized polymer as an electron mediator. [Electrochim. Commun., 7, (2005), 643-647] F. Sato, M. Togo, K. Islam, T. Matsue, J. Kosuge, N. Fukasaku, S. Kurosawa, M. Nishizawa

● Fabrication of miniature Clark oxygen sensor integrated with microstructure. [Sensors & Actuators B, 110, (2005), 342-349] C.-C. Wu, T. Yasukawa, H. Shiku, T. Matsue

● Fabrication of Robust 2-D and 3-D Microfluidic Networks for mTAS Bioassays. [J. Microelectromech. Syst., 14(4), (2005), 839-846] T. Yasukawa, A. Glidle, M. Nomura, J. M. Cooper

● Localized Chemical Stimulation of Cellular Micropatterns Using a Porous Membrane-Based Culture Substrate. [Sensors & Actuators B, 108, (2005), 683-687] K. Takoh, T. Ishibashi, T. Matsue, M. Nishizawa

● Metabolic and enzymatic activities of individual cells, spheroids, and embryos as a function of the sample size. [Sens. Actuat. B, 108, (2005), 597-602] H. Shiku, Y. Torisawa, A. Takagi, S. Aoyagi, H. Abe, H. Hoshi, T. Yasukawa, T. Matsue

● Multi-channel 3D Cell Culture Device Integrated on a Silicon Chip for Anticancer Drug Sensitivity Test. [Biomaterials, 26, (2005), 2165-2172] Y. Torisawa, H. Shiku, T. Yasukawa, M. Nishizawa, T. Matsue

● On-Chip Transformation of Bacteria. [Analytical Chemistry, 2005(77), (2005), 4278-4281] K. Nagamine, S. Onodera, Y. Torisawa, T. Yasukawa, H. Shiku, T. Matsue

● Real-Time Monitoring of Reactive Oxygen Species Production During Differentiation of Human Monocytic Cell Lines (THP-1). [Anal. Chim. Acta, 549, (2005), 14-19] S. Kasai,

H. Shiku, Y. Torisawa, H. Noda, J. Yoshitake, T. Shirashi, T. Yasukawa, T. Watanabe, T. Matsue, T. Yoshimura

● Simultaneous Electrochemical Immunoassay with an Electrode Array Chip Combined with a Protein Array Chip. [Biosens. Bioelectron., (2005)] D. Ogasawara, Y. Hirano, T. Yasukawa, H. Shiku, K. Kobori, K. Ushizawa, S. Kawabata, T. Matsue

● Three-dimensional micro-culture system with silicon based cell array device for multi-channel sensitivity tests. [Sensors & Actuators B, 108, (2005), 645-659] Y. Torisawa, H. Shiku, T. Yasukawa, M. Nishizawa, T. Matsue

● チオニン修飾金ナノ粒子を用いた電極表面の機能化と電気化学的グルコースセンサへの応用。[表面技術, 56(10), (2005), 60-65] 安川智之, モハメド カムルル イスラム, 大橋拓矢, 須藤順, 珠玖仁, 末永智一

● ナノテクノロジー・バイオMEMS時代のバイオ分離・計測技術の最前線。[シーエムシー, (2005)] 末永智一

● 実験化学講座（改訂5版）。[丸善, (2005)] 末永智一, 犬飼潤治, 板谷謹悟

● 誘電泳動法による微小流体中での微生物の生死分離。[分析化学, (2005)] 鈴木雅登, 安川智之, 珠玖仁, 末永智一

● Electrochemical nitric oxide microsensors based on two-dimensional cross-linked polymeric LB films of oligo(dimethylsiloxane) copolymer. [Electrochim. Acta, 151, (2005), 938-942] D. Kato, M. Kunitake, M. Nishizawa, T. Matsue, F. Mizutani

● Patterning the Surface Cytophobicity of an Albumin-Physisorbed Substrate by Electrochemical Means. [Langmuir, 21, (2005), 6966-6969] H. Kaji, K. Tsukidate, M. Hashimoto, T. Matsue, M. Nishizawa

### 環境共生機能学分野

● Biological Behavior of Hat-Stacked Carbon Nanofibers in the Subcutaneous Tissue in Rats. [NANO LETTERS, 5(1), (2005), 157-161] A. Yokoyama, Y. Sato, Y. Nodasaka, S. Yamamoto, T. Kawasaki, M. Sindoh, T. Kohgo, T. Akasaka, M. Uo, F. Watari, K. Tohji

● Effects of Ion Bombardment on Carbon Nanotube Formation in Strongly Magnetized Glow-Discharge Plasmas. [Jpn. J. Appl. Phys., 44(4A), (2005), 1543-1548] T. Kaneko, H. Matsuoka, R. Hatakeyama, K. Tohji

● Synthesis and magnetic properties of face-centered-cubic and hexagonal-close-packed Ni nanoparticles through polyol process. [J. of Applied Physics, 97(10), (2005), 10J309-1-10J309-3] C. N. Chinnasamy, B. Jeyadevan, A. Narayanasamy, K. Shinoda, K. Tohji, K. Sato, S. Hisano

● X-ray Absorption Fine Structure Studies on the Local Structures of Ni Impurities in Carbon Nanofiber. [Chem. Letter, (2005)] K. Asakura, W.-J. Chun, K. Tohji, Y. Sato, F. Watari

● 放電プラズマ焼結法により作製した単層カーボンナノチューブ・ルク固化体の機械的特性。[日本機械学会論文集(A編), 71(702), (2005), 144-151] 山本剛, 佐藤義倫, 高橋亨, 大森守, 田路和幸, 橋田俊之

● Activation of Human Monocytes and Mouse Splenocytes

by Single-Walled Carbon Nanotubes. [Journal of Biomedical Nanotechnology, 1, (2005), 359-364] Kazuto Kiura, Yoshinori Sato, Motoaki Yasuda, Bunshi Fugetsu, Fumio Watari, Kazuyuki Tohji, Ken-ichiro Shibata

● Effect of cerium ions in an are peripheral plasma on the growth of radial single-walled carbon nanotubes. [Journal of Applied Physics, 98(9), (2005), 094313-1-094313-10] Y. Sato, K. Motomiya, B. Jeyadevan, K. Tohji, G. Sato, H. Ishida, T. Hirata, R. Hatakeyama

● Effects of polycarbosilane addition on the mechanical properties of single-walled carbon nanotube solids. [JSME International Journal Series A-Solid Mechanics and Material Engineering, 48(4), (2005), 189-193] Go Yamamoto, Mamoru Omori, Yoshinori Sato, Toru Takahashi, Kazuyuki Tohji, Toshiyuki Hashida

● Influence of length on cytotoxicity of multi-walled carbon nanotubes against human acute monocytic leukemia cell line THP-1 in vitro and subcutaneous tissue of rats in vivo. [Molecular BioSystems, 1, (2005), 176-182] Yoshinori Sato, Atsuro Yokoyama, Ken-ichiro Shibata, Yuki Akimoto, Yoshinobu Nodasaka, Takao Kohgo, Kazuchika Tamura, Tsukasa Akasaka, Motohiro Uo, Kenichi Motomiya, Balachandran Jeyadevan, Mikio Ishiguro, Rikizo Hatakeyama, Fumio Watari, Kazuyuki Tohji

● Preparation and Biocompatibility of Sintered Carbon Nanotube Disk. [Fullerenes and Nanotubes -Materials for the New Chemical Frontier-Fullerenes (The Electrochemical Society, Inc.), PV2004-12, (2005), 243-248] M. Ohtsubo, Y. Sato, B. Jeyadevan, K. Tohji, R. Hatakeyama, G. Yamamoto, M. Ohmori, T. Hashida, K. Tamura, T. Akasaka, M. Uo, A. Yokoyama, F. Watari

● Preparation of Carbon Nanotubes for Biomedical Applications: Size-Separation and their Biocompatibilities. [Fullerenes and Nanotubes -Materials for the New Chemical Frontier-Fullerenes(The Electrochemical Society, Inc.), PV2004-12, (2005), 178-183] K. Tohji, Y. Akimoto, Y. Sato, B. Jeyadevan, K. Tamura, T. Akasaka, M. Uo, A. Yokoyama, K. Shibata, F. Watari

● Preparation of single-walled carbon nanotube solids and their mechanical properties. [Journal of Materials Research, 20, (2005), 2609-2612] Go Yamamoto, Yoshinori Sato, Toru Takahashi, Mamoru Omori, Toshiyuki Hashida, Akira Okubo, Sadao Watanabe, Kazuyuki Tohji

● Size separation of carbon nanotubes for biomedical application. [Proceedings of International Symposium on EcoTopia Science 2005, 1, (2005), 273-276] Kazuyuki Tohji, Yoshinori Sato, Atsuro Yokoyama, Ken-ichiro Shibata, Shin-ichi Ogino, Kazuchika Tamura, Tsukasa Akasaka, Motohiro Uo, Kenichi Motomiya, Balachandran Jeyadevan, Rikizo Hatakeyama, Fumio Watari

● Strict preparation and evaluation of water-soluble hat-stacked carbon nanofibers for biomedical application and their high biocompatibility: influence of nanofiber-surface functional groups on cytotoxicity.[Molecular BioSystems, 1, (2005), 142-145] Yoshinori Sato, Ken-ichiro Shibata, Hideo

Kataoka, Shin-ichi Ogino, Fugetsu Bunshi, Atsuro Yokoyama, Kazuchika Tamura, Tsukasa Akasaka, Motohiro Uo, Kenichi Motomiya, Balachandran Jeyadevan, Rikizo Hatakeyama, Fumio Watari, Kazuyuki Tohji  
● The Cytotoxicity of Metal-Encapsulating Carbon Nanocapsules. [Small, 1, (2005), 816-819] Motohiro Uo, Kazuchika Tamura, Yoshinori Sato, Atsuro Yokoyama, Fumio Watari, Yasunori Totsuka, Kazuyuki Tohji

● Water-soluble hat-stacked carbon nanofibers for biomedical applications. [Proceedings of International Symposium on EcoTopia Science 2005, 1, (2005), 277-280] Yoshinori Sato, Ken-ichiro Shibata, Fugetsu Bunshi, Atsuro Yokoyama, Shin-ichi Ogino, Kazuchika Tamura, Tsukasa Akasaka, Motohiro Uo, Kenichi Motomiya, Balachandran Jeyadevan, Rikizo Hatakeyama, Fumio Watari, Kazuyuki Tohji  
● Co-Zn ferrite nanoparticles for ferrofluid preparation: Study on magnetic properties. [Physica B, 363, (2005), 225-231] R. Arulmurgan, G. Vaidyanathan, S. Sendhilnathan and B. Jeyadevan

● Direct synthesis of Pt based L<sub>10</sub> structured nanoparticles (invited). [J. of Applied Physics, 97(10), (2005), 10J307-1-10J307-6] M. Takahashi, T. Ogawa, D. Hasegawa, B. Jeyadevan

● Effect of zinc substitution on Co-Zn and Mn-Zn ferrite nanoparticles prepared by co-precipitation. [J. of Magnetism and Magnetic Materials, 288, (2005), 470-477] R. Arulmurgan, B. Jeyadevan, G. Vaidyanathan, S. Sendhilnathan

● Neel temperature enhancement in nanostructured nickel zinc ferrite. [Applied Physics Letters, 86(19), (2005), 192510-1-192510-3] N. Ponpanidian, A. Narayanasamy, C. N. Chinnasamy, and N. Sivakumar, J-M. Greeneche, K. Chattopadhyay, K. Shinoda, B. Jeyadevan, K. Tohji

● Performance evaluation of citric ion-stabilized magnetic fluid heat pipe. [J. of Magnetism and Magnetic Materials, 289, (2005), 253-256] B. Jeyadevan, H. Koganezawa, K. Nakatsuka

● Preparation and properties of ferromagnetic FePt dispersion. [J. of Magnetism and Magnetic Materials, 289, (2005), 1-4] K. Sato, B. Jeyadevan, K. Tohji

● Structural and magnetic properties of monolayer film of CoPt nanoparticles synthesized by polyol process. [J. of Applied Physics, 97(10J301), (2005), 10J301-1-10J301-3] M. Mizuno, Y. Sasaki, M. Inoue, C. N. Chinnasamy, B. Jeyadevan, D. Hasegawa, T. Ogawa, M. Takahashi, K. Tohji, K. Sato, S. Hisano

● 宇宙太陽光発電システムの高度化に対する傾斜機能材料の適用性調査研究。[(2005), 第3章 (構造系材料の適応性検討) 3.1節(CNT系)] 佐藤義倫

● 単層および多層カーボンナノチューブ固化体の作製と機械的特性評価。[粉体および粉末冶金, 52(11), (2005), 831-835] 山本剛, 佐藤義倫, 大坪誠, 高橋亨, 大森守, 大久保昭, 田路和幸, 橋田俊之

● 放電プラズマ焼結法により作製した単層カーボンナノチューブバルク固化体の機械的特性評価。[粉体および粉末冶金, 52(11), (2005), 826-830] 山本剛, 佐藤義倫, 高橋亨, 大森守, 大久保昭, 田路和幸, 橋田俊之

● Cell culture on a Carbon Nanotube Scaffold. [J. Biomed. Nanotech. 4, (2005) 402-405] Naofumi Aoki, Atsuro Yokoyama, Yoshinobu Nodasaka, Tsukasa Akasaka, Motohiro Uo, Yoshinori Sato, Kazuyuki Tohji and Fumiyo Watari

## 資源循環プロセス学講座

### リサイクル化学分野

● Catalytic Effects of Metal Oxides on the Pyrolysis of Poly(ethylene Terephthalate) with Ca(OH)<sub>2</sub>. [Journal of Analytical and Applied Pyrolysis, 73, (2005) 139-144] Toshiaki Yoshioka, Tomohiko Handa, Guido Grause, Zhigang Lei, Hiroshi Inomata, Tadaaki Mizoguchi

● Chemical Recycling of Polycarbonate to Raw Materials by Thermal Decomposition with Calcium Hydroxide/Steam. [Chemistry Letters, 34(3), (2005), 282-283] Toshiaki Yoshioka, Katsuya Sugawara, Tadaaki Mizoguchi and Akitsugu Okuwaki

● Temperature Dependence on the Activation Energy of Dechlorination in Thermal Degradation of Polyvinylchloride. [Chemistry Letters, 34(1), (2005), 70-71] Toshiaki Yoshioka, Nobuo Saitoh, and Akitsugu Okuwaki

● Mg-Al Layered Double Hydroxide Intercalated with Ethylenediaminetetraacetate Anion: Synthesis and Application to the Uptake of Heavy Metal Ions from an Aqueous solution. [Separation and Purification Technology, 47, (2005), 20-26] T.Kameda, S.Saito, Y.Umetsu

● Preparation of a Composite Material for the Uptake of Bisphenol A from Aqueous Solutions, the Dodecylsulfate Ion-Intercalated Mg-Al Layer-Structured Double Hydroxide Particles. [Journal of Alloys and Compounds, 402, (2005), 46-52] T. Kameda, M. Saito, Y. Umetsu

● The Removal of Chloride from Solutions with Various Cations Using Magnesium-Aluminum Oxide. [Separation and Purification Technology, 42, (2005), 25-29] T. Kameda, T. Yoshioka, T. Hoshi, M. Uchida, A. Okuwaki

### 循環社会開発学分野

● 超臨界水によるポリエチレン・ポリプロピレン・ポリスチレンの分解。[環境資源工学, 52(1), (2005), 5-13] 木下睦, 菅井裕一, 竹森進也, 小泉慎吾, 金放鳴, 榎本兵治, 守谷武彦

● 非水溶性ポリマー生産微生物 CJF-002 による油層内流体のプロファイル・モディフィケーションに関する室内実験研究。[石油技術協会誌, 70(4), (2005), 315-327] 菅井裕一, 木下睦, 湯本徹也, 榎本兵治, 洪承燮, 藤原和弘, 大野健二

● A new hydrothermal process for improving acetic acid yield from cellulosic biomass. [Water, Steam, and Aqueous Solutions for Electric Power Advances in Science and Technology, (2005), 324-328] Xiuyi Yan, Fangming Jin, Heiji Enomoto, Takehiko Moriya, Hisao Higashijima, Kishita Hisanori

● A New Hydrothermal System for Enhancing Acetic Acid Production by Two-step Reaction of Organic Waste. [Proceeding (CD) of 7th world congress of chemical engineering, (2005), CD version-] FM Jin, ZZ Zhou, HJ Enomoto, HN Kishida, TH, Moriya

● Controlling Hydrothermal Reaction Pathways to Improve Acetic Acid Production from Carbohydrate Biomass. [Environmental Science & Technology, 39, (2005), 1893-1902] Fangming Jin, Zhouyu Zhou, Takehiko Moriya, Hisanori Kishida, Hisao Higashijima and Heiji Enomoto

● Conversion of Carbohydrate Biomass into Acetic Acid via Lactic Acid by Alkaline Two-step Hydrothermal Reaction. [Proceeding of ExHFT-6, (2005), 124-125] Xiuyi Yan, Fangming Jin, Kishida Hisanori, Takehiko Moriya, Heiji Enomoto

● Conversion of Glucose to 5-Hydroxymethyl-2-furaldehyde and 2-Furaldehyde by Hydrothermal Reaction. [Proceedings of the 7th International Symposium on Hydrothermal Reaction, (2005), 724-728] Y. Takeuchi F. Jin H. Enomoto

● Conversion of Glycerin into Lactic acid by Alkaline Hydrothermal Reaction. [Chemistry Letters, 34, (2005), 1560-1561] Hisanori Kishida, Fangming Jin, Zhouyu Zhou, Takehiko Moriya, Heiji Enomoto

● Decomposition of Benzothiophene, Dibenzothiophene, and their derivatives in subcritical and supercritical water with Alkali. [J. Japan Petroleum Institute, 48, (2005), 272-280] Atsushi Kishita, Satoru Takahashi, Fangming Jin, Yuki Yamasaki, Takehiko Moriya, Heiji Enomoto

● Effect of Lignin and its Derivatives on Hydrothermal Reaction of Cellulose. [Proceeding of ExHFT-6, (2005), 160-161] Jianxun Cao, Hiroyuki Suzuli, Fangming Jin, Kishida Hisanori, Takehiko Moriya, and Heiji Enomoto

● Hydrothermal Solidification of Municipal Incineration Bottom Ash. [Proceedings of 14th International Conference on the Properties of Water and Steam, (2005), 335-340] Zhenzi Jing, Norihisa Matsuoka, Fangming Jin, Koichi Suzuki, Toshiyuki Hashida, and Nakamichi Yamasaki

● Wet Oxidation Pathways of lignin Model Compounds. [Proceeding of ExHFT-6, (2005), 454-455] Hiroyuki Suzuli, Jianxun Cao, Fangming Jin, Kishida Hisanori, Takehiko Moriya, and Heiji Enomoto

● 水の超臨界条件下におけるポリエチレン・ポリプロピレン・ポリスチレンの水熱分解。[環境資源工学, 52(1), (2005), 14-24] 木下睦, 菅井裕一, 竹森進也, 小泉信吾, 金放鳴, 榎本兵治, 守谷武彦

● Formation mechanism of 2-Furaldehyde from glucose in hydrothermal reaction. [Water, Steam, and Aqueous Solutions for Electric Power Advances in Science and Technology, (2005), 324-328] Yusuke Takeuchi, Fangming Jin, Atsushi Kishita, Heiji Enomoto

● アルカリを添加した超臨界および亜臨界水中でのベンゾチオフェン, ジベンゾチオフェン類の分解挙動。[J. of Japan Petroluem Institute, 48(5), (2005), 272-280] 木下睦, 高橋悟, 金放鳴, 山崎友紀, 守谷武彦, 榎本兵治

### 環境グリーンプロセス学分野

● Continuous Production of BaTiO<sub>3</sub> Nanoparticles by Hydrothermal Synthesis. [INDUSTRIAL & ENGINEERING CHEMISTRY RESEARCH, (2005)] Hakuta H., Ura H., Hayashi H., Arai K

● Decomposition behavior of poly (ethylene-2,6-naphthalene dicarboxylate) in high temperature water. [FLUID PHASE EQUILIBRIA, 228, (2005), 523-525] Sato O, Arai K, Shirai M

● Destruction of deca-chlorobiphenyl in supercritical water under oxidizing conditions with and without Na<sub>2</sub>CO<sub>3</sub>. [JOURNAL OF SUPERCRITICAL FLUIDS, 33(3), (2005), 249-260] Fang Z, Xu SK, Smith RL, Arai K, Kozinski JA

● Effect of water density on polymorph of BaTiO<sub>3</sub>

nanoparticles synthesized under sub and supercritical water conditio. [Materials Letters, (2005)] Hakuta Y., Ura H., Hayashi H., Arai K

● Partial ring hydrogenation of naphthols over supported metal catalysts in supercritical carbon dioxide solvent. [CHEMISTRY LETTERS, 34(6), (2005), 782-783] Mine E, Haryu E, Arai K, SATO T, Sato O, Sasaki A, Rode CV, Sirai M

● Amination of n-Hexanol in Supercritical Water.[Environ. Sci. Technol, 39(24), (2005), 9721-9724] Kiyohiko Tajima, Munehiro Uchida, Kimitaka Minami, Mitsumasa Osada, Kiwamu Sue, Toshiyuki Nonaka, Hideo Hattori, and Kunio Arai

● Effects of hydrothermal synthetic conditions on the particle size of gamma-Al<sub>2</sub>O<sub>3</sub> in sub and supercritical water using a flow reaction system. [MATERIALS CHEMISTRY AND PHYSICS, 93(38751), (2005), 466-472] Hakuta Y., Ura H., Hayashi H., Arai K

● Performance of a natural convection circulation system for supercritical fluids. [JOURNAL OF SUPERCRITICAL FLUIDS, 36(1), (2005), 70-80] Yoshikawa S, Smith RL, Inomata H, Matumura Y, Arai K

### 循環材料プロセス学分野

● Aerosol Coagulation Model in an Agitated Vessel Considering the Interaction Effect between Particles. [(独立)日本学術振興会製鋼第19委員会反応プロセス研究会, (2005), 1-15] 白皓, 松本克才, 谷口尚司

● Application of Double-axis-electromagnetic Stirring to Solidification of Al-Bi Alloy. [The 2nd Asian Workshop on Electromagnetic Processing of Materials (Asian EPM 2005), Shenyang, China, (2005), 18-22] K.Maitake, S.Shimasaki, K.Ueno, S.Taniguchi

● Application of EPM to the Separation of Inclusion Particles from Liquid Metal. [Proceedings of the 15th RIGA and 6th PAMIR Conference on Fundamental and Applied MHD, Riga, Latvia, 2005, 2, (2005), 55-63] Shoji Taniguchi, Noboru Yoshikawa, Koichi Takahashi

● Effect of Particle Interactions on the Aerorol Coagulation in an Agitated Vessel. [日本学術振興会製鋼第19委員会反応プロセス研究会資料 19委-12180, 反応プロセスIII-34, (2005), 1-16] 白皓, 松本克才, 谷口尚司

● Fundamental Studies on Microwave Heating and its

Application to Environmental Techniques. [The 2nd Asian Workshop on Electromagnetic Processing of Materials (Asian EPM 2005), Shenyang, China, (2005), 287-290] Noboru Yoshikawa, Etsuko Ishizuka, Yan Chen, Shoji Taniguchi

● Growth Rate of Reaction Layer between SO<sub>2</sub> and Molten Al above 1473K. [Materials Transaction, 46(4), (2005), 842-845] Noboru Yoshikawa, Akira Hattori, Shoji Taniguchi

● Mathematical Model for Turbulent Coagulation of Suspended Particles in Agitated Vessel. [Fourth International Conference of CFD in the Oil and Gas, Metallurgical & Process Industries, SINTEF/NTNU Trondheim Norway, CD-ROM, (2005), 1-5] Shoji Taniguchi, Takehiro Nakaoka, Katsutoshi Matsumoto

● Separation of Particles by Bubbles from Turbulently Agitated Liquid. [Proceedings of AISTech 2005, AIST, May (2005), CD-ROM, (2005)] Katsutoshi Matsumoto, Atsushi Okayama, Shoji Taniguchi

● Model Experiment on Slip Velocity of Inclusion Particle in Turbulently Agitated Liquid Steel. [Proc. Int. Conf. AISTech2005, Charlotte, USA, CD-ROM, May (2005)] Shinichi Shimasaki, Shoji Taniguchi

● 電磁力を利用したアルミニウム基SiC粒子部分強化複合材料の製造法. [軽金属, 55(10), (2005), 483-488] 高橋功一, 谷口尚司

● 電磁力を利用した分離プロセス. [ふえらむ, 10(2), (2005), 22-30] 谷口尚司

● 溶鋼の流れと粒子の振る舞い. [ふえらむ, 10(8), (2005), 664-668] 谷口尚司

● Fabrication of Composite Materials Using Al Scrap and Wasted Glass. [Materials Transaction, 46(12), (2005), 2582-2585] Noboru Yoshikawa, Yuuya Nakano, Kentarou Sato and Shoji Taniguchi

● Microwave Heating Behavior of Blast Furnace Slag Bearing High Titanium. [ISIJ International, 45(9), (2005), 1232-1237] Chen Yan, Noboru Yoshikawa and Shoji Taniguchi

#### 循環生態系計画学分野

● Algal culture collection and the environment. [Tokai University Press, (2005) 121-176] Fumie Kasai, Kunimitsu Kaya and Makoto M. Watanabe Eds Chapter 9 authors: K. Kaya and T. Sano

● Leucine aminopeptidase M inhibitors, cyanostatin A and B, isolated from cyanobacterial water blooms in scotland. [Phytochemistry, 66(5), (2005), 543-548] T. Sano, H. Takagi, L. F. Morrison, J. S. Metcalf, G. A. Codd, K. Kaya

● Selective control of toxic Microcystis water blooms using lysine and malonic acid: An enclosure experiment. [Environ. Toxicol., 20(2), (2005), 170-179] K. Kaya, D-Y. Liu, U-W. Shen, B-D. Xiao, T. Sano

● Two new chymotrypsin inhibitors isolated from the cyanobacterium Microcystis aeruginosa NIES-88. [J. Natural Products, 68(1), (2005), 14-18] H. Yamaki, N. Sitachitta, T. Sano, K. Kaya

● Neel Temperature Enhancement in Nanostructured Nickel Zinc Ferrite. [Applied Physics Letters, 86, (2005), 192510-1-192510-3] N. Ponpandian, A. Narayanasamy, C. N. Chinnasamy, N. Sivakumar, J.-M. Grenache, K. Chattopadhyay, K. Shinoda, B. Jeyadevan, K. Tohji

● Synthesis and magnetic properties of face-centered-cubic and hexagonal-close-packed Ni nanoparticles through polyol process. [Journal of Applied Physics, 97, (2005), 10J309-1-10J309-3] C. N. Chinnasamy, B. Jeyadevan, K. Shinoda, K. Tohji, A. Narayanasamy, K. Sato, S. Hisano

● Customization of an In-House XAFS Spectrometer for Sulfur Measurement. [Physica Scripta (Topical Issues), T115, (2005), 1017-1018] T. Taguchi, K. Shinoda, K. Tohji

● A new simply and effective fractionation method for cylindrospermopsin analyses. [Toxicon, 46, (2005), 104-107] T. Kubo, T. Sano, K. Hosoya, M. N. Tanaka, K. Kaya

● Dependence of the Pretreatment Efficiency of Polymer-Based Adsorbents for Environmental Water on Their Uniformity and Size. [J. Polym. Sci. Part A, 43(10), (2005), 2112-2118] T. Kubo, K. Hosoya, Y. Watabe, N. Tanaka, T. Sano, K. Kaya

● LC/MS determination of bisphenol A in river water using a surface-modified molecularly-imprinted polymer as an on-line pretreatment device. [Anal. Bioanal. Chem., 381(6), (2005), 1193-1198] Y. Watabe, K. Hosoya, N. Tanaka, T. Kondo, M. Morita, T. Kubo

● Novel surface modified molecularly imprinted polymer focused on the removal of interference in environmental water samples for chromatographic determination. [J. Chromatogr. A, 1073, (2005), 363-370] Y. Watabe, K. Hosoya, N. Tanaka, T. Kubo, T. Kondo, M. Morita

● Preparation of a novel molecularly imprinted polymer using a water-soluble crosslinking agent. [Anal. Bioanal. Chem., 382, (2005), 1698-1701] T. Kubo, K. Hosoya, M. Nomachi, N. Tanaka, K. Kaya

● Selective Retention of Some Polyaromatic Hydrocarbons by Highly Crosslinked Polymer Networks. [J. Polym. Sci. Part A, 43, (2005), 2556-2566] K. Hosoya, H. Aoki, T. Kubo, M. Teramachi, N. Tanaka

● Selective separation of brominated bisphenol A homologues using a polymer-based medium prepared by the fragment imprinting technique. [Anal. Chim. Acta, 549, (2005), 45-50] T. Kubo, K. Hosoya, T. Sano, M. Nomachi, N. Tanaka, K. Kaya

● Shielded molecularly imprinted polymers prepared with a selective surface modification. [J. Polym. Sci. Part A, 43(10), (2005), 2048-2060] Y. Watabe, K. Hosoya, N. Tanaka, T. Kubo, T. Kondo, M. Morita

● Silica monolithic membrane as separation medium Summable property of different membranes for high-performance liquid chromatographic separation. [J. Chromatogr. A, 1073, (2005), 123-126] K. Hosoya, T. Ogata, Y. Watabe, T. Kubo, T. Ikegami, N. Tanaka, H. Minakuchi, K. Nakanishi

#### 環境創成計画学講座

##### 環境分子化学分野

● Resolution of inherently chiral anti-O, O'-dialkylated calix[4]arenes and determination of their absolute stereochemistries by CD and X-ray methods. [Tetrahedron Asymmetry, 16, (2005), 793-800] Fumitaka Narumi, Tetsutaro Hattori, Waka Yamabuki, Chizuko Kabuto and Hiroshi Kameyama

● Synthesis and binding studies of novel bisthiacalix[4]arenes with diimine linkages. [Tetrahedron Lett., 46, (2005), 121-124] Vandana Bhalla, Manoj Kumar, Hiroshi Katagiri, Tetsutaro Hattori and Sotaro Miyano

● Two-dimensional supramolecular arrangements of enantiomers and racemic modification of 1,1'-binaphthyl-2,2'-dicarboxylic acid. [Langmuir, 21, (2005), 9206-9210] Masashi Kunitake, Tetsutaro Hattori, Sotaro Miyano, and Kingo Itaya

● Conversion of mono- and tetra-thiacalix[4]arenes to sulfilimine derivatives and unexpected formation of monospirodiene derivatives. [Heterocyclic Commun., 11, (2005), 249-254] Naoya Morohashi, Makoto Kojima, Akira Suzuki, and Yoshihiro Ohba

● Extractability of cyclic and linear phenol digomers having sulfur bridge. [New Trend in Structural Organic Chemistry, Research Signpost, Kerela, India, (2005), 39-60] Naoya Morohashi, Hiroyuki Teraura, and Yoshihiro Ohba

● Synthesis and characterization of novel chiral 1,2-diamines derived from  $\alpha$ -pinene. [Chem. Lett., 34, (2005), 1476-1477] Toshiaki Suzuki, Akira Shibata, Naoya Morohashi, and Yoshihiro Ohba

##### ライフサイクル評価学分野

● Development and Evaluation of An Model for Estimating Material and Energy Recovery from Landfilled Waste. [Proceedings of Fifteenth International Input-Output Conference, Beijing, China, (2005), 1-7] K. Yokoyama and T. Nagasaka

● Environmental and Economic Impact about Material and Energy Recovery from Past Final Disposal Waste. [Proceedings of Industrial Ecology for a sustainable future, Stockholm, Sweden (2005), 326-328] K. Yokoyama and T. Nagasaka

● Steelmaking Slags as a New Phosphorus Resource. [Proceedings of the International Conference on Clean Technologies in the Steel Industry, Hungarian Mining and Metallurgical Society, (2005), 282-291] K. Yokoyama, H. Kubo, K. Mori, H. Okada and T. Nagasaka

● 製品のリサイクル性を評価する手法. [金属, 75(9), (2005), 881-886] 醒醐市朗, 中島謙一

● マテリアルフローアカウンティングの明らかにするもの. [金属, 75(9), (2005), 875-880] 中島謙一, 横山一代, 長坂徹也, 中野加都子

● マトリックス法を用いたマルチファンクションユニットシステム LCA. [日本金属学会誌, 69(2), (2005), 221-224] 中島謙一, 長坂徹也, 原田幸明, 井島清

● Materials Technologists · Researchers for the Status Quo-1, 2 Component Equilibrium State Diagrams. [ふえらむ, 10(8), (2005), 674-678] 田中敏宏, 長坂徹也

● Materials Technologists · Researchers for the Status Quo-2, 3 Component Equilibrium State Diagrams. [ふえらむ, 10(10), (2005), 810-815] 長坂徹也, 田中敏宏

● Materials Technologists · Researchers for the Status Quo-3, 3 Component Equilibrium State Diagrams. [ふえらむ, 10(11), (2005), 855-861] 長坂徹也, 田中敏宏

● Circular Type Social Structure for Evaluation Method. [まつりあ, 44(4), (2005), 292-295] 中島謙一, 長坂徹也, 原田幸明, 井島清

● Waste Product Sector Model Based on Hybrid Life Cycle Assessment. [ふえらむ, 10(11), (2005), 862-867] 横山一代, 長坂徹也, 中村慎一郎

● Fundamental Study Related to New Zinc Distillation Process Utilizing Zinc Sulfide Reaction with Metallic Copper. [Proceedings of the International Symposium on Lead and Zinc Processing, II, (2005), 1191-1201] Satoshi Itoh and Atsushi Kikuchi

● Kinetic Study on Recovery of Antimony in Anode Slime from Used Lead Batteries Utilizing Volatile Oxide Formation. [Materials Transactions, 46(3), (2005), 658-664] Satoshi Itoh, Junji Ono, Mitsutaka Hino, Tetsuya Nagasaka

##### 環境調和素材学分野

● Al<sub>2</sub>TiO<sub>5</sub>-MgTi<sub>2</sub>O<sub>5</sub>固溶体-高分子複合材料のダンピング特性. [Dynamics and Design Conference 2005 日本機械学会 機械力学・計測制御部門 講演論文集 CD-ROM, 講演番号 513, (2005)] 島津季朗, 三浦正嗣, 井須紀文, 小河俊哉, 市川明博, 石田秀輝

● Densification Behavior of Calcium Phosphates on Spark Plasma Sintering for Preparation of Transparent Culture Dish. [Archives of BioCeramics Res., (5), (2005), 67-70] Daisuke Kawagoe, Yoshihiro Koga, Emile Hideki Ishida and Koji Ioku

● From the Nature Mimicry towards the Nature Tech. [Technoconfort Workshop on Okinoerabu Island Conference, (2005)] Emile H. Ishida

● Microstructure designed hydroxyapatite/magnetite composites. [Archives of BioCeramics Res., (5), (2005), 99-102] Setsuaki Murakami, Takashi Atsumi, Balachandran Jeyadevan, Kohji Itabashi, Emile Hideki Ishida, Koji Ioku

● Porous Hydroxyapatite Scaffold Designed by Non-Sintering Process. [Archives of BioCeramics Res., (5), (2005), 206-209] Giichiro Kawachi, Emile Hideki Ishida and Koji Ioku

● Synthesis of Novel High Damping Ceramic-Polymer Composites and its Application as. [2nd International Symposium on high damping materials, HDM-2, (2005)] T. Shimazu, M. Miura, H. Kuno, N. Isu, K. Ota, Emile H. Ishida

●  $\beta$ -TCP柱状粒子による新しい人工骨. [第49回日本学術会議材料研究連合講演会講演論文集, (2005), 98-99] 井奥洪二, 川内義一郎, 石田秀輝, 奥田貴俊, 米澤郁穂, 黒澤尚, 池田通

● あたらしいものつくりを考える Nature Tech.の創成. [材料マニュアル 2005 新素材マニュアル 第22集, (株)テクノプラザ, (2005), 14-17] 石田秀輝

● A Fundamental research on Dry Steam Extractives of

- Japanese Cedar. [Water, Steam, and Aqueous Solutions for Electric Power (Proc. 14th ICPWS), (2005), 329-334] Zhixia Li, Hongfei Lin, Lihui Liu, Koji Ioku, Nakamichi Yamasaki
- Formation of Aluminum Silicate Film on Ni Alloy Surface in the System of Granite-Cu under Low Pressure-Hydrothermal Conditions. [Water, Steam, and Aqueous Solutions for Electric Power (Proc. 14th ICPWS), (2005), 369-372] Hideyuki Kato, Youngcheng Jin, Inna Korablova, Lihui Liu, Koji Ioku, Atsushi Minagawa, Greg Bignall, Noriyoshi Tsuchiya, Nakamichi Yamasaki
  - Formation of Organic Compounds by the Hydrothermal Reduction of CO<sub>2</sub>. [Water, Steam, and Aqueous Solutions for Electric Power (Proc. 14th ICPWS), (2005), 309-312] Hiro Takahashi, Yuichi Yashiro, Toshinari kori, Koji Ioku, Greg Bignall, Nakamichi Yamasaki
  - Hydrothermal Preparation of Porous Hydroxyapatite with Tailored Crystal Surface. [Key Engineering Materials, 288-289, (2005), 521-524] K. Ioku, G. Kawachi, N. Yamasaki, M. Toda, H. Fujimori and S. Goto
  - Hydroxyapatite Sheet Prepared by Hydrothermal One-process Method. [Water, Steam, and Aqueous Solutions for Electric Power (Proc. 14th ICPWS), (2005), 255-258] Giichiro Kawachi, Hirotaka Fujimori, Seishi Goto, Koji Ioku
  - In Vitro Osteogenic Activity of Rat Mesenchymal Cells Cultured on Transparent  $\beta$ -Tricalcium Phosphate Ceramics. [Key Engineering Materials, 284-286, (2005), 663-666] Noriko Kotobuki, Koji Ioku, Daisuke Kawagoe, Daishiro Nomura, Hirotaka Fujimori, Seishi Goto, Hajime Ohgushi
  - Li型フッ素四ケイ素雲母 (Li-TSM) の特性と抗菌抗かび剤との複合化. [J. Ceram. Soc. Japan, 113(4), (2005), 303-307] 岸本哲也, 藤森宏高, 井奥洪二, 後藤誠史
  - Observation of Osteogenic Differentiation Cascade of Living Mesenchymal Stem Cells on Transparent Hydroxyapatite Ceramics. [Biomaterials, 26(7), (2005), 779-785] Noriko Kotobuki, Koji Ioku, Daisuke Kawagoe, Hirotaka Fujimori, Seishi Goto, Hajime Ohgushi
  - Porous Apatite Ceramics Prepared by Hydrothermal Method. [Water, Steam, and Aqueous Solutions for Electric Power (Proc. 14th ICPWS), (2005), 259-263] Koji Ioku, Giichiro Kawachi, Manami Toda, Shuji Sasaki, Hirotaka Fujimori, Seishi Goto
  - Porous Composite of Magnetite/Apatite with Bimodal Pore Size Distribution. [Trans. Mater. Res. Soc. Japan, 30(2), (2005), 437-440] Koji Ioku, Setsuaki Murakami, Hirotaka Fujimori, Setsuo Yamamoto, Seishi Goto, Nakamichi Yamasaki
  - Porous Hydroxyapatite with Tailored Crystal Surface Prepared by Hydrothermal Method. [Key Engineering Materials, 284-286, (2005), 353-356] Koji Ioku, Giichiro Kawachi, Nakamichi Yamasaki, Hirotaka Fujimori and Seishi Goto
  - Vibration Spectra of Ca<sub>3</sub>SiO<sub>5</sub>: Ultraviolet Laser Raman Spectroscopy at High Temperatures. [J. Am. Ceram. Soc., 88(7), (2005), 1995-1998] Hirotaka Fujimori, Hiroshi Komatsu, Koji Ioku, Seishi Goto, Tomoaki Watanabe

- $\beta$ -TCP柱状粒子による新しい骨代替材料. [整形・災害外科, 48(4), (2005), 359-363] 井奥洪二, 米澤郁穂, 奥田貴俊, 黒澤尚, 池田通
  - 細胞とのナノインターフェイス観察に適したリン酸カルシウム透明体. [バイオマテリアル, 23(5), (2005), 343-347] 井奥洪二, 川越大輔, 寿典子, 大串始
  - $\beta$ -TCP柱状結晶による新しいスキャホールドの創製. [セラミックス, 40(10), (2005), 852-854] 井奥洪二
- 環境調和材料強度学分野**
- Effect of Heat Treatment on Microstructure and Mechanical Property of 45XD and 47XD TiAl Alloys. [Materials Science Forum, 475-479, (2005), 581-584] Hanliang Zhu, D. Y. Seo, K. Maruyama
  - Effect of Microstructural Stability on Creep Behavior of 47XD TiAl Alloys with Fine-grained Fully Lamellar Structure. [Scripta Materialia, 52(1), (2005), 45-50] Hanliang Zhu, D. Y. Seo, K. Maruyama, P. Au
  - Increase in Gamma/Alpha<sub>2</sub> Lamellar Boundary Density and its Effect on Creep Resistance of TiAl Alloys. [MRS Symposium Proceedings, 842(S7.10), (2005), 109-114] K. Maruyama, J. Matsuda, Hanliang Zhu
  - The Creep Behaviors of Two Fine-Grained XD TiAl Alloys Produced by Similar Heat Treatments. [MRS Symposium Proceedings, 842(S5.50), (2005), 199-204] Hanliang Zhu, D. Y. Seo, K. Maruyama, P. Au
  - Microstructural evolution of a heat-resistant magnesium alloy due to friction stir welding. [Scripta Materialia, 52(9), (2005), 899-903] Datong Zhang, Mayumi Suzuki, Kouichi Maruyama
  - Effects of  $\alpha_2$  Spacing on Creep Deformation Characteristics of Hard Oriented PST Crystals of TiAl Alloy. [Intermetallics, 13(10), (2005), 1116-1121] K. Maruyama, T. Nonaka and H. Y. Kim
  - Microstructural Stability of Fine-grained Fully Lamellar XD TiAl Alloys by Step Aging. [Metallurgical and Materials Transactions, 36A(5), (2005), 1339-1351] Hanliang Zhu, D. Y. Seo, K. Maruyama, and P. Au
  - Effect of Heating Rate in  $\alpha + \gamma$  Dual Phase Field on Lamellar Microstructure and Creep Resistance of a TiAl Alloy. [Zeitschrift fur Metallkunde, 96(6), (2005), 584-588] Kouichi Maruyama, Jun Matsuda and Hanliang Zhu
  - Influence of Heating Rate in  $\alpha + \gamma$  Dual Phase Field on Lamellar Morphology and Creep Property of Fully Lamellar Ti-48Al Alloy. [Materials Science and Engineering, A397, (2005), 58-64] Hanliang Zhu, J. Matsuda, K. Maruyama
  - Interfacial strengthening of  $\beta$  phase in a fully lamellar structure of TiAl alloy containing W. [Philosophical Magazine Letters, 85(7), (2005), 377-385] H. ZHU, D.Y. SEO, K. MARUYAMA, and P. AU
  - 破壊機構変化を配慮した長時間クリープ特性評価. [ふぇらむ, 10(8), (2005), 669-673] 丸山公一
  - Mechanism of Type IV Failure in Weldment of a Mod. 9Cr-1Mo Steel. [Creep Deformation and Fracture, Design, and Life Extension, Edited by R.S. Mishra, J.C.Earthman, S.V. Raj,

- and R. Viswanathan, TMS, Warrendale, (2005), (2005), 139-148] J. S. Lee, K. Maruyama, I. Nonaka and T. Ito
- Causes of overestimation of creep rupture strength in 11Cr-2W-0.3Mo-CuVNb steel. [Creep & Fracture in High Temperature Components - Design & Life Assessment Issues, Edited by I.A. Shibli, S.R. Holdsworth and G. Merckling, DEStech Publications, Lancaster, PA, USA, (2005), 372-379] K. Maruyama, and J.S. Lee
  - Superplasticity and Superplastic Diffusion Bonding of a Fine-grained TiAl Alloy. [Materials Transactions, 46(10), (2005), 2150-2155] Hanliang Zhu, Bing Zhao, Zhiqiang Li, and K. Maruyama
  - Dynamic precipitation and strengthening of  $\beta$  phase during long-term creep of a fully lamellar TiAl + W Alloy. [Scripta Materialia, (2005)] Hanliang Zhu, D.Y. Seo, K. Maruyama, P. Au
  - Substructure Development in Rapidly Solidified B2-type TiCo Ribbons. [Materials Science Forum, 475-479(1), (2005), 849-852] Kyosuke Yoshimi, Minseok Sung, Sadahiro Tsurekawa, Akira Yamauchi, Ryusuke Nakamura, Shuji Hanada, Koichi Kawahara and Tadao Watanabe
  - Effect of Heat Treatments on Microstructure of Rapidly Solidified TiCo Ribbons. [MRS Symposium Proceedings, 842, (2005), S1.5.1-S1.5.6] Kyosuke Yoshimi, Akira Yamauchi, Ryusuke Nakamura, Sadahiro Tsurekawa, Shuji Hanada
  - Thermal Analysis of Relaxation Processes of Supersaturated Vacancies in B2-type Aluminides. [MRS Symposium Proceedings, 842, (2005), S5.15.1-S5.15.6] Ryusuke Nakamura, Kyosuke Yoshimi, Akira Yamauchi, Shuji Hanada
  - High Temperature Oxidation Behavior of Al Added Mo / Mo<sub>5</sub>SiB<sub>2</sub> in-situ Composites. [MRS Symposium Proceedings, 842, (2005), S5.34.1-S5.34.6] Akira Yamauchi, Kyosuke Yoshimi, Shuji Hanada
  - Surface Mesostructure Change of B2-type FeAl Single Crystals by Condensation of Supersaturated Thermal Vacancies. [Philosophical Magazine, 85 (2-3), (2005), 331-344] Kyosuke Yoshimi, Takayuki Kobayashi, Akira Yamauchi, Tomohide Haraguchi, Shuji Hanada
  - Vacancy Clustering and Relaxation Behavior in Rapidly Solidified B2 FeAl Ribbons. [Acta Materialia, 53(13), (2005), 3751-3764] T. Haraguchi, K. Yoshimi, M.H. Yoo, H. Kato, S. Hanada, A. Inoue
  - Tensile and Fracture Behavior of Zr<sub>65</sub>Al<sub>7.5</sub>Ni<sub>10</sub>Pd<sub>17.5</sub>Bulk Metallic Glass. [Materials Transactions, 46 (12), (2005), 2870-2874] Kyosuke Yoshimi, Hidemi Kato, Junji Saida, Akihisa Inoue
  - ナノコンポジットマテリアル(執筆担当部分)第I編(金属系ナノコンポジット編) 第3章(ナノコンポジット金属構造用材料)6(ナノポーラス金属間化合物). [フロンティア出版,(2005),58-59]

## 環境物質制御学講座(同和鉱業)(寄附講座)

### 地圈環境学分野

- MNA (Monitored Natural Attenuation) ~ MNAの標準化に向けた試みに関して~. [第11回地下水・土壤汚染とその

防止対策に関する研究集会論文集, (CD-ROM), (2005)] 谷口紳, 高畠恒志, 菅原実木夫, 河合達司, 白鳥寿一, 中杉修身

● 鉛染帯マップの有効利用について (自然汚染判断への応用) .[第11回地下水・土壤汚染とその防止対策に関する研究集会論文集, (CD-ROM), (2005)] 千田善秋, 井上常史, 神宮宏, 白鳥寿一

● Liquid-phase reductive deposition as novel preparation method for highly dispersive nickel catalysts. [Catalysis Surveys from Asia, 9(3), (2005), 187-192] Hideyuki Takahashi, Yoji Sunagawa, Sarantuya Myagmarjav, and Atsushi Muramatsu

● Metallic Ni nanoparticles confined in hexagonally ordered mesoporous silica material. [Chemical Communications, (CD-ROM), (2005), 348-350] Katsutoshi Yamamoto, Yoji Sunagawa, Hideyuki Takahashi, Atsushi Muramatsu

● Effect of spin fluctuations on thermal expansion characteristics in paramagnetic Laves-phase Lu(Co<sub>1-x</sub>Ga)<sub>2</sub> compounds. [PHYSICAL REVIEW B, 71(1), (2005)] M. Ohta, A. Fujita, K. Fukamichi, H. Saito, E. Matsubara, H. Takahashi

● Synthesis of Ni-Co alloy nanoparticles by the Liquid-phase reduction method [Proc. of International Chemical Congress of Pacific Basin Societies (PACIFICHEM 2005), (CD-ROM), (2005)] Hideyuki Takahashi, Sarantuya Myagmarjav, Yohji Sunagawa, and Atsushi Muramatsu

● Synthesis of the nickel thin films by CVRD (Chemical vapor reductive deposition) method. [Proc. of International Chemical Congress of Pacific Basin Societies (PACIFICHEM 2005), (CD-ROM), (2005)] Masaki Yoshinaga, Hideyuki Takahashi, Nobuaki Sato, and Atsushi Muramatsu