

## 都市環境・環境地理学講座

## 環境動態論分野

## 【論文】

- Cathode having high rate performance for a secondary Li-ion cell surface-modified by aluminum oxide nanoparticles. [ Journal of Power Sources, 189, (2009), 471-475 ] Toyoki Okumura, Tomokazu Fukutsuka, Yoshiharu Uchimoto, Koji Amezawa, Shota Kobayashi
- Classification of Mechanical Failure in SOFC and Strategy for Evaluation of Operational Margin. [ Electrochemical Society Transactions, 25 (2), (2009), 467-472 ] T. Kawada, S. Watanabe, S. Hashimoto, T. Sakamoto, A. Unemoto, M. Kurumatani, K. Sato, F. Iguchi, K. Yashiro, K. Amezawa, K. Terada, M. Kubo, H. Yugami, T. Hashida, J. Mizusaki
- Defect Structure Analysis of B-Site Doped Perovskite-Type Proton Conducting Oxide BaCeO<sub>3</sub> PartI: The Defect Concentration of BaCe<sub>0.9</sub>M<sub>0.1</sub>O<sub>3-d</sub> (M=Y and Yb). [ Solid State Ionics, 180, (2009), 127-131 ] Masatsugu Oishi, Satoshi Akoshima, Keiji Yashiro, Kazuhisa Sato, Junichiro Mizusaki, Tatsuya Kawada
- Electrochemical Analysis on Degradation in Ni-GDC Cermet Anode for SOFC. [ Electrochemical Society Transactions, 25 (2), (2009), 1939-1944 ] H. Watanabe, A. Unemoto, K. Amezawa, T. Kawada
- Electronic structures of partially fluorinated lithium manganese spinel oxides and their electrochemical properties. [ Journal of Power Sources, 189, (2009), 599-601 ] Keisuke Matsumoto, Tomokazu Fukutsuka, Toyoki Okumura, Yoshiharu Uchimoto, Koji Amezawa, Minoru Inaba, Akimasa Tasaka
- Electronic Properties and Oxygen Nonstoichiometry of Mixed-Conducting Oxide La<sub>1-x</sub>Sr<sub>x</sub>CoO<sub>3-delta</sub> Thin Films at High Temperature. [ Electrochemical Society Transactions, 16 (51), (2009), 311-316 ] D. Hemmi, K. Iwamoto, N. Hirai, M. Sase, A. Unemoto, T. Nakamura, F. Horikiri, Y. Mori, K. Sato, K. Yashiro, T. Kawada, J. Mizusaki
- Hydrogen Permeation Properties in (Ce,Sr) PO<sub>4</sub>. [ Electrochemical and Solid-State Letters, 12 (3), (2009), B43-B47 ] Atsushi Unemoto, Naoto Kitamura, Koji Amezawa, Tatsuya Kawada
- Improvement of Li-ion conductivity in A-site disordering lithium-lanthanum-titanate perovskite oxides by adding LiF in synthesis. [ Journal of Power Sources, 189, (2009), 536-538 ] Toyoki Okumura, Koji Yokoo, Tomokazu Fukutsuka, Yoshiharu Uchimoto, Morihito Saito, Koji Amezawa
- Investigation of High Temperature Elastic Modulus and Internal Friction of SOFC Electrolytes Using Resonance Method. [ Electrochemical Society Transactions, 25 (2), (2009), 1673-1677

- ] T. Kushi, K. Sato, A. Unemoto, K. Amezawa, T. Kawada
- Investigation on Oxygen Potential Distribution in a ZrO<sub>2</sub>-Based Solid Electrolyte by Using In-Situ Micro XAS Technique. [ Electrochemical Society Transactions, 25 (2), (2009), 345-348 ] K. Amezawa, T. Ina, Y. Orikasa, A. Unemoto, H. Watanabe, F. Iguchi, Y. Terada, T. Fukutsuka, T. Kawada, H. Yugami, Y. Uchimoto
- Nonlinear Analysis of the Oxygen Surface Reaction and Thermodynamic Behavior of La<sub>1-x</sub>Sr<sub>x</sub>CoO<sub>3-delta</sub>. [ Electrochemical Society Transactions, 16 (51), (2009), 47-67 ] A. T. DeMartini, A. Unemoto, T. Kawada, S. B. Adler
- SYNTHESIS AND ELECTRICAL CONDUCTIVITY OF TETRA-VALENT CERIUM POLYPHOSPHATE BULKS. [ Phosphorous Research Bulletin, 23, (2009), 20-24 ] Hiroaki Onoda, Yousuke Inagaki, Akihito Kuwabara, Naoto Kitamura, Koji Amezawa, Atsushi Nakahira, Isao Tanaka

## 【著書】

- Chapter 7 Perovskite Oxide for Cathode of SOFCs. [ Fuel Cells and Hydrogen Energy Perovskite Oxide for Solid Oxide Fuel Cells, (2009), Springer ] Tatsuya Kawada

## 自然／人間環境地理学分野

## 【論文】

- 内蒙古沙塵暴及沙漠化的成因. [ 地理環境と民俗文化遺産, (2009), 知識産権出版社 ] 境田清隆, 加藤洋祐, 大月義徳, 蘇德斯琴, 咏梅
- 生態移民对移民村發展的影響及其特性—对内蒙古自治区烏蘭察布市四子王旗的推測性討論. [ 地理環境と民俗文化遺産—“自然環境と民俗地理学”中日国際学術研討会論文集一, (2009), 422-429 ] 関根良平, 蘇德斯琴, 小金澤孝昭

## 【著書】

- 朝倉世界地理講座-大地と人間の物語—2. 東北アジア. [(2009), 朝倉書店] 岡洋樹, 境田清隆, 佐々木史郎 編著
- 第IV部 第1章. [ 近代日本の地図作製とアジア太平洋地域—「外邦国」へのアプローチ—, (2009), 424-432, 大阪大学出版会 ] 関根良平, 小林茂
- 第3章 東アフリカ農村における森林資源管理と生計安全保障—タンザニアとケニアの参加型制度の事例分析. [現代アフリカ農村と公共圏 (研究双書 No.581), (2009), 99-145, 日本貿易振興機構アジア経済研究所] 上田元

## 都市・地域環境システム学分野

## 【論文】

- Assessment of snowmelt triggered landslide hazard and risk

- in Japan. [ Cold Regions Science and Technology, 58 (3), (2009), 120-129 ] Seiki Kawagoe, So Kazama, and Priyantha Ranjan Sarukkalgige
- Assessment of water conflict in Mae Chaem River Basin, Northern Thailand. [ Water International, 34 (2), (2009), 242-263 ] Chaiwat Ekkawatpanita, So Kazama, Masaki Sawamoto and Priyantha Ranjan
- CFD simulation of mixing in anaerobic digester. [ Bioresource Technology, 100 (7), (2009), 2228-2233 ] Mitsuhiro Terashima, Rajeev Goel, Kazuya Komatsu, Hidenari Yasui
- Characterization of start-up performance and archaeal community shifts during anaerobic self-degradation of waste activated sludge. [ Bioresource Technology, 100 (21), (2009), 4981-4988 ] Takuro Kobayashi, Daisuke Yasuda, Yu-You Li, Kengo Kubota, Hideki Harada, Han-Qing YU
- Continuous H<sub>2</sub> production by anaerobic mixed microflora in membrane bioreactor. [ Bioresource Technology, 100 (2), (2009), 690-695 ] Dong-Yeol Lee, Yu-You Li, Tatsuya Noike
- Distribution function for estimating habitat suitability index in the Natori River basin. [ Proceedings of 7th International Symposium on Echohydraulics, CD-ROM (2), (2009) ] So Kazama and Yuki Ogase
- Effects of Temperature and substrate concentration on continuous hydrogen fermentation of starch. [ International Journal of Hydrogen Energy, 34 (6), (2009), 2558-2566 ] Yohei AKUTSU, Yu-You LI, Hideki HARADA and Han-Qing YU
- Evaluating the cost of flood damage based on changes in extreme rainfall in Japan. [ Sustainability Science, 4 (1), (2009), 61-69 ] So KAZAMA, Ayumu Sato, and Seiki Kawagoe
- Evaluation of climate change effects on glacier area and vegetation using remote sensing imagery. [ Proceedings of 7th International Symposium on Echohydraulics, CD-ROM (1), (2009) ] Freddy Soria and So Kazama
- Evaluation of flood control and inundation conservation in Cambodia using flood and economic growth models. [ Hydrological Processes, 23 (4), (2009), 623-632 ] So Kazama, Tatsuhito Kono, Kengo Kakiuchi and Masaki Sawamoto
- Global Scale evaluation of coastal fresh groundwater resources. [ Ocean & Coastal Management, 52 (3-4), (2009), 197-206 ] Priyantha Ranjan, So KAZAMA, Masaki Sawamoto, Ahmad Sana
- Hydrogen production potentials and fermentative characteristics of various substrates using different heat-pretreated natural microflora. [ International Journal of Hydrogen Energy, 34 (14), (2009), 5365-5372 ] Yohei AKUTSU, Dong-Yeol Lee, Yu-You LI, and T. NOIKE
- Influence of iron concentration on continuous H<sub>2</sub> production using membrane bioreactor. [ International Journal of Hydrogen Energy, 34 (3), (2009), 1244-1252 ] Dong-Yeol Lee, Yu-You Li,

Mi-Sun Kim, You-Kwan Oh, Tatsuya Noike

- Rapid and accurate determination of VFAs and ethanol in the effluent of an anaerobic H<sub>2</sub>-producing bioreactor using near-infrared spectroscopy. [ Water Research, 43 (7), (2009), 1823-1830 ] ML Zhang, GP Sheng, Y Mu, WH Li, HQ Yu, H Harada, YY Li
- Spatial downscaling of GCM output for assessing the impacts on groundwater temperature in the Sendai Plain. [ 水工学論文集, 53, (2009), 79-84 ] Luminda Gunawardhana, So KAZAMA
- The potentially available global water resources distribution under climate change. [ 水工学論文集, 53, (2009), 13-18 ] Nilupul K. Gunasekara, So KAZAMA, Dai Yamazaki, Taikan Oki
- Thermophilic fermentative hydrogen production from starch-wastewater with bio-granules. [ International Journal of Hydrogen Energy, 34 (12), (2009), 5061-5071 ] Yohei AKUTSU, Dong-Yeol Lee, Yong-Zhi CHI, Yu-You LI, Hideki HARADA and Han-Qing YU
- Tidal effects on aquifer thermal regime: An analytical solution for coastal ecosystem management. [ Journal of Hydrology, 377 (3-4), (2009), 377-390 ] Luminda Niroshana Gunawardhana, So Kazama
- Upgrading of the anaerobic digestion of waste activated sludge by combining temperature-phased anaerobic digestion and intermediate ozonation. [ Water Science and Technology, 59 (1), (2009), 185-193 ] T. Kobayashi, Y. Y. Li, H. Harada, H. Yasui and T. Noike
- DNA多型マーカーによるヒゲナガカワトビケラの流域内移動分散パターンの評価. [ 水環境学会誌, 32 (4), (2009), 253-258 ] 渡辺幸三, 八重樫咲子, 菊池裕二, 竹門康弘, 風間聡, 大村達夫
- GISを用いた熱帯モンスーン域の土砂崩壊リスク評価. [ 地球環境研究論文集, 17, (2009), 39-44 ] 小野桂介, 川越清樹, 風間聡
- GPS観測による山岳域の積雪推定モデルの評価. [ 水工学論文集, 53, (2009), 409-414 ] 菊地慶太, 風間聡
- 硫酸化細菌を利用したメタン発酵槽の微好気環境下におけるバイオガス脱硫. [ 土木学会論文集, 65 (2), (2009), 104-113 ] 小林拓朗, 李玉友, 久保田健吾, 原田秀樹, 前田武巳, 河合和保, 吉田尊彦
- 温暖化に対する土砂災害の影響評価. [ 地球環境, 14 (2), (2009), 143-152 ] 川越清樹, 風間聡
- 温暖化による洪水氾濫とその適応策. [ 地球環境, 14 (2), (2009), 135-142 ] 風間聡, 佐藤歩, 川越清樹
- 気候変動による湖沼の水溫躍層の変化. [ 地球環境研究論文集, 17, (2009), 23-28 ] 志田孝之, 風間聡, 山本潤
- 気候モデルを利用した日本列島洪水リスク評価. [ 水工学論文集, 53, (2009), 847-852 ] 佐藤歩, 川越清樹, 風間聡, 森杉壽芳
- 数値気候モデルの将来展望値を用いた日本の洪水被害予測. [ 地球環境研究論文集, 17, (2009), 17-22 ] 滝口博文, 佐藤歩, 川越清樹, 風間聡
- 数値気候モデルを用いた土砂生産量予測. [ 水工学論文集, 53, (2009), 655-660 ] 秋本嗣美, 川越清樹, 風間聡
- スノーボードを利用したキネマティックGPSによる積雪深観測. [

---

---

水文・水資源学会誌, 22 (4), (2009), 277-285 ] 菊地慶太, 風間聡  
●土砂崩壊リスク評価に対する気候モデルの適用. [ 水工学論文集, 53, (2009), 661-666 ] 川越清樹, 風間聡, 肱岡靖明, 高橋潔  
●バイオガスの生物脱硫に寄与する硫黄マットの反応条件と微生物生態. [ 環境技術, 38 (9), (2009), 642-651 ] 小林拓朗, 李玉友, 久保田健吾, 原田秀樹  
●メタン発酵・無薬注脱水・窒素除去を組み合わせた乳牛ふん尿処理システムの実証研究. [ 環境工学論文集, 46, (2009), 673-680 ] 宇佐見心, 堆洋平, 李玉友, 原田秀樹, 菅野草平, 守山寛

#### 【著書】

●第1章, 第3章. [ メタン発酵, (2009), 技法堂出版 ] 李玉友

#### 【総説・解説】

●厌氧发酵生物制氢微生物及工艺开发的研究进展. [ 环境科学学报, 29 (8), (2009), 1-20 ] 李玉友, 褚春风, 堆洋平  
●中国における都市下水汚泥の処理現況. [ 環境技術, 38 (5), (2009), 35-40, 環境技術学会] 池勇志, 張書庭, 李玉友  
●中国における水環境管理および排水処理の現況. [ 環境技術, 38 (5), (2009), 297-297, 環境技術学会] 李玉友  
●廃棄物系バイオマスのメタン発酵. [ 環境浄化技術, 8 (11), (2009), 1-6, 日本工業出版 ] 李玉友, 小林拓朗, 宇佐見心  
●メタン発酵技術の新しい展開. [ 環境技術, 38 (12), (2009), 841-841, 環境技術学会] 李玉友

---

## 国際環境・地域環境学講座

---

### 国際経済環境研究分野

#### 【論文】

●循環資源の輸出とリサイクル制度—PETボトルのリサイクルを事例として—. [循環資源の貿易とリサイクル・システム (平成18年度～20年度科学研究費補助金研究成果論文集), (2009), 51-64] 佐竹正夫, 菊地徹, 山重芳子  
●地球温暖化と自由貿易体制. [ 世界経済評論, 53 (10), (2009), 47-54 ] 佐竹正夫  
●途上国における環境クズネット曲線の実証可能性. [地球環境研究論文集, 17, (2009), 153-162, 土木学会] 林山泰久, 菊池愛美, 中嶋一憲

#### 【総説・解説】

●書評 池間誠編『国際経済の新構図』. [ 世界経済評論, 53 (10), (2009), 88-89 ] 佐竹正夫

#### 【著書】

●循環資源の貿易とリサイクル・システム (平成18年度～20年度科学研究費補助金研究成果論文集). [ (2009)] 佐竹正夫編

### 東アジア社会動態研究分野

#### 【論文】

●環境負荷と負荷低減へのインセンティブ—持続可能な未来に向けて. [みやぎ政策の風, 9, (2009), 1-5] 藤崎成昭

### 東アジア思想論分野

#### 【論文】

●上博楚簡『凡物流形』の全体構成. [中国研究集刊, 48, (2009)] 浅野裕一  
●上博楚簡《東大王泊旱》之災異思想. [復旦大学出土文献與古文字研究中心網站, (2009)] 浅野裕一  
●上博楚簡《凡物流形》之整體結構. [復旦大学出土文献與古文字研究中心網站, (2009)] 浅野裕一  
●新出土文献與思想史的改写—兼論日本の先秦思想史研究. [文史哲, 1, (2009)] 浅野裕一

---

## 太陽地球システム・エネルギー学講座

---

### 地球物質・エネルギー学分野

#### 【論文】

● Chemical modification of pyroclastic rock by hot water: an experimental investigation of mass transport at the fluid solid interface. [ Geofluids, 9(2009), 24-38 ] J. HARA and N. TSUCHIYA  
● Direct measurement of contact area and stress dependence of anisotropic flow through rock fracture with heterogeneous aperture distribution. [ Earth and Planetary Science Letters, 281, (2009), 81-87 ] Katsumi Nemoto, Noriaki Watanabe, Nobuo Hirano and Noriyoshi Tsuchiya  
● Diversity of channeling flow in heterogeneous aperture distribution inferred from integrated experimental-numerical analysis on flow through shear fracture in granite. [ Journal of Geophysical Research B: Solid Earth, 114 (4), (2009), 1-17 ] Noriaki Watanabe, Nobuo Hirano, and Noriyoshi Tsuchiya1  
● Style of fluid flow and deformation in and around an ancient out-of-sequence thrust: An example from the Nobeoka Tectonic Line in the Shimanto accretionary complex, Southwest Japan. [ Island Arc, 18, (2009), 333-351 ] Hideki Mukoyoshi, Tetsuro Hirono, Hidetoshi Hara, Kotaro Sekine, Noriyoshi Tsuchiya, Arito Sakaguchi and Wonn Soh  
● Velocity and vertical fluid ascent within vein-forming fractures. [ Geology, 37 (6), (2009), 563-566 ] Atsushi Okamoto and Noriyoshi Tsuchiya  
●秋田県奥奥八九郎温泉における炭酸塩シンター -アラレ石・

方解石共生堆積物-. [ 岩石鉱物科学, 38, (2009), 198-207 ] 平野伸夫, 竹之下愛, 土屋範芳

#### 【特許】

●触媒の製造方法. [特開2009-247955] 田路和幸, 高橋英志, 湯崎浩一, 宮崎達郎  
●触媒の製造方法及びその触媒を用いたカルボン酸エステルの製造方法. [特開2009-226324] 村松淳司, 高橋英志, 梶谷英伸, 大野博信, 高橋和成  
●スリーブを備えたスクラバブラシおよびスクラバブラシと共に用いるためのブラシマンドレル. [特表2009-529241] ファイ・チェン, シェンチャーエル・ツルシバグウェール, 高橋英志, 富田敏一, 藤川孝

### 太陽地球計測学分野

#### 【論文】

● Characteristics of microseismic events with large magnitude collected while stimulation of geothermal reservoir at Basel, Switzerland. [ Proc. 15th Formation Evaluation Symposium of Japan, I, (2009) ] Y. Mukuhira, H. Asanuma, H. Niitsuma, M. Haring, N. Deichmann  
● Development of quartz friction gauge on board balloon and sounding rocket. [ Transactions of Japan Society for Aeronautical and Space Sciences, Space Technology Japan, 7 (ists26), (2009), Pm\_7-Pm\_11 ] J. Kurihara, T. Abe, I. Murata, K. Sato, Y. Tomikawa  
● Estimation of response of fracture system to hydraulic stimulation by induced microseismic multiplet analysis. [ Eos Trans. AGU, 90(52), Fall Meet. Suppl., Abstract, (2009), S32B-03 ] H. Asanuma, Y. Kenmoku, Y. Kawamura, H. Niitsuma, D. Wyborn  
● Interpretation of fracture network system within the hydraulically stimulated geothermal reservoir at Basel, Switzerland by microseismic multiplet analysis. [ Proc. 15th Formation Evaluation Symposium of Japan, H, (2009) ] Y. Kumano, H. Asanuma, H. Niitsuma, M. Haring, N. Deichmann  
●Investigation of relationship of pore pressure to large microseismic events with large collected at Basel, Switzerland in 2006. [ Transactions Geothermal Resources Council, 33, (2009), 331-335 ] Y. Mukuhira, H. Asanuma, H. Niitsuma, M. Haring, N. Deichmann  
● Interpretation of reservoir creation process at Cooper Basin by microseismic multiplet analysis. [ Transactions Geothermal Resources Council, 33, (2009), 149-153 ] H. Asanuma, Y. Kenmoku, H. Niitsuma, D. Wyborn  
● Mapping of fractured geothermal reservoir at Cooper Basin, Australia by microseismic multiplets. [ Proc. 15th Formation Evaluation Symposium of Japan, K, (2009) ] H. Asanuma, Y. Kenmoku, Y. Kawamura, Y.Kumano, H. Niitsuma, D. Wyborn  
●Measurements of stratospheric ozone with a balloon-borne optical ozone sensor. [ International Journal of Remort Sensing, 30 (15-16),

(2009), 3961-3966 ] I. Murata, K. Sato, S. Okano, Y. Tomikawa  
● Simulation of a ground source heat pump system with an expander-driven primary pump. [ Transaction Geothermal Resources Council, 33, (2009), 557-559 ] H. Asanuma, K. Ono, H. Niitsuma  
● Spectral matrix analysis for detection of polarized wave arrivals and its application to seismic reflection studies using local earthquake data. [Earth, Planets and Space, 61, (2009), 1287-1295] Hirokazu Moriya  
● Spectral matrix analysis method for the detection of wave arrivals using confidence levels and its application to seismic reflection imaging.[Proc. 9th SEGJ International Symposium, 61, (2009), 1287-1295] Hirokazu Moriya  
●GPS搭載型光学オゾンゾンデの開発. [ 宇宙航空研究開発機構研究開発報告, JAXA-RR-08-001, (2009), 57-62 ] 村田功, 佐藤薫, 山上隆正, 岡野章一, 富川喜弘  
●気球搭載用水晶摩擦気圧計の開発とBU30-5号機による性能実証試験. [ 宇宙航空研究開発機構研究開発報告, JAXA-RR-08-001, (2009), 43-56 ] 栗原純一, 村田功, 佐藤薫, 富川喜弘, 阿部琢美  
●経済性ならびに環境効果向上のための温泉排湯熱有効利用法の検討. [ 日本地熱学会誌, 31 (1), (2009), 39-50 ] 池上真紀, 増田純也, 駒庭義人, 浅沼宏, 新妻弘明  
●高温岩体発電技術. [ クリーンエネルギー , 18 (7), (2009),43-50 ] 浅沼宏  
●地層中の地下水流動を考慮した地中熱利用システムシミュレータの開発. [ 日本地熱学会誌, 31 (4), (2009), 203-212 ] 森谷祐一, 山田貴大, 新堀雄一, 浅沼宏, 新妻弘明  
●任意形状アレーを用いた微動探査における位相速度の直接同定法. [ 物理探査, 62 (3), (2009), 339-350 ] 白石英孝, 浅沼宏

### 地殻システム情報学分野

#### 【論文】

●Estimation of regional stress by FEM for a heterogeneous rock mass with a large fault. [ Int. J. Rock Mech. Min. Sci., 46 (1), (2009), 31-50 ] K. Matsuki, S. Nakama, T. Sato  
● Experimental study of the effect of fracture size on closure behavior of a tensile fracture under normal stress. [ Int. J. Rock Mech. Min. Sci., 46 (3), (2009), 462-470 ] A. A. Giwelli, K. Sakaguchi, K. Matsuki  
● Perforation to annulus cement behind PVC casing with submerged abrasive waterjets under high ambient pressure. [ Proceedings of the 9th Pacific Rim International Conference on Water Jetting Technology, (2009), 67-74 ] A. Kizaki, K. Yahata, H. Goto, K. Matsuki, T. Ogatsu, K. Tamura  
● Three-dimensional finite element analysis of stress and deformation in a fracture in the direct shear test. [ Proc. of

the International Conference of Rock Joints and Jointed Rock Masses, Tuscon, Arizona, USA, CD-ROM, (2009), 1-8 ] A. A. Giwelli, K. Sakaguchi, K. Matsuki

●立坑掘削に伴う排水・冠水・再排水時の地表面傾斜量の逆解析に基づく岐阜県東濃地域超深地層研究所用地の地下水流動場評価. [ 土木学会論文集C, 65 (2), (2009), 442-455 ] 成川達也, 松木浩二, 新井孝志, 大山卓也, 竹内竜史, 竹内真司

#### 【特許】

●地圧測定装置および地圧測定方法. [特許4272014] 坂口清敏, 松木浩二, 前島俊雄, 南将行, 小山俊博, 鈴木康正, 原雅人

●被処理物への穿孔方法およびそのための装置. [特許4336175] 松木浩二, 木崎彰久, 小山研也, 田村一浩

## 地球開発環境学分野

#### 【論文】

●A New Recycling System for High Water Content Mud and Its Application for Restoration of Bank Erosion of Saigon River. [ Proceedings of the 11th Conference on Science and Technology, 1, (2009), 1606-1611 ] Hiroshi TAKAHASHI and Luu Xuan Loc

● A New Recycling System of Waste Gypsum Board Paper : Application of Waste Gypsum Board Paper for Soil Improvement. [ Proceedings of the 6th International Conference on Materials Engineering for Resources, 1, (2009), 277-281 ] Hiroshi TAKAHASHI and Hirokazu KANAHAMA

● CFD Simulation of Mixing in Anaerobic Digesters. [ Bioresource Technology, 100, (2009), 2228-2233 ] Mitsuharu Terashima, Rajeev Goel, Kazuya Komatsu, Hidenari Yasui, Hiroshi Takahashi, Y.Y.Li, Tatsuya Noike

● DEM Simulation of Crushing for Concrete Blocks by Mobile Crusher. [ Proc. of the 6th International Conference on Micromechanis and Granular Media, (2009), 843-846 ] Hiroshi TAKAHASHI and Masakazu ANDO

●DEM Simulation on Strength and Deformation Characteristics of Fiber-Cement-Stabilized Soil. [ Proceedings of the 6th International Conference on Materials Engineering for Resources, 1, (2009), 271-276 ] Hiroshi TAKAHASHI and Naoki KONDA

● Development of DEM Simulation Model for Deformation of Fiber-Cement-Stabilized Soil. [ Proc. of the International Symposium on Earth Science and Technology 2009, 1, (2009), 97-102 ] Hiroshi TAKAHASHI and Naoki KONDA

● Evaluation of performance of lightweight aggregate from dehydration cake with waste materials. [ Proceedings of the 10th International Symposium on East Asian Resources Recycling Technology, 1, (2009), 284-287 ] Yuko SUTO and Hiroshi TAKAHASHI

●Study on Durability of Fiber-Mixed Planting Soils with Wood

Chips for Rainfall. [ Proc. of the 4th International Symposium on Advanced Fluid/Solid Science and Technology in Experimental Mechanics, CD-ROM, (2009) ] Hiroshi TAKAHASHI, Masato MORI, Satoshi SHIBATA and Takashi NAGANUMA

●Study on Effect of Prior Mixing of Waste Gypsum Powder in the Recycling of Cohesive Soils by Mobile Soil Improvement Machine. [ Proceedings of the 10th International Symposium on East Asian Resources Recycling Technology, 1, (2009), 340-343 ] Hiroshi TAKAHASHI

●Study on Hole Cleaning in Horizontal Foam Drilling : Pressure Loss of Foam Flow in Annulus. [ Proc. of the 4th International Symposium on Advanced Fluid/Solid Science and Technology in Experimental Mechanics, CD-ROM, (2009) ] Amna GUMATI and Hiroshi TAKAHASHI

● Study on New Soil Improvement Method by using Wasted Gypsum Board. [テラメカニックス, 29, (2009), 43-47 ] H.Takahashi and H.Kanahama

●近年の建築施工関連研究. [ 建設の施工企画, (708), (2009), 11-17 ] 高橋弘

●モービルクラッシャーによるコンクリート塊破碎の数値シミュレーション. [ テラメカニックス, 29, (2009), 5-9 ] 高橋弘, 安藤真和

## 自然共生システム学講座

## 環境修復生態学分野

#### 【論文】

● Assessment of Bioavailability in PAHs Contaminated Groundwater System. [ 3rd International Contaminated Site Remediation Conference Proceedings, (2009), 268-269 ] Z. Zhang, C. Inoue, G. Li

● Chemical deradation of Dieldrin using ferric sulfide and iron powder. [ International Journal of Environmental Science and Engineering, 1 (2), (2009), 91-96 ] Junko Hara, Yoshishige Kawabe, Takeshi Komai, Chihiro Inoue

● Dechlorination of TCE in Anaerobic Bacterial Culture with Sulfate Rich Condition. [ 3rd International Contaminated Site Remediation Conference Proceedings, (2009), 260-261 ] K. Ise, K. Suto and C. Inoue

● Effect of pH reduction and ferric ion addition on leaching of chalcopyrite at thermophilic temperatures. [ Hydrometallurgy, 96, (2009), 62-71 ] J. Vilcaez, R. Yamada, C. Inoue

● Mathematical modeling of thermophilic bioleaching of chalcopyrite. [ Minerals Engineering, 22, (2009), 951-960 ] J. Vilcaez, C. Inoue

●Microbial diversity of deep-sea sediment cultured under Fe(II) rich condition. [ Abstract book of 11th stmposium on aquatic

microbial ecology, (2009), 71-71 ] Y. Takahashi, K. Suto, C. Inoue, T. Ooka

●Novel cysteine-rich peptide from *Digitaria ciliaris* and *Oryza sativa* enhance tolerance to cadmium by limiting its cellular accumulation. [ Plant and Cell Physiology, 50 (1), (2009), 106-117 ] Masato Kuramata, Yoshihiro Takahashi, Etsuko Kitagawa, Chihiro Inoue, Satoru Ishikawa, Shohab Youssefian, Tomonobu Kusano

● Polysulfide reduction by *Clostridium* relatives isolated from sulfate-reducing enrichment cultures. [ Journal of Bioscience and Bioengineering, in press(2009), - ] Y. Takahashi, K. Suto, C. Inoue, T. Chida

● Preferential Biodgradation of Equivalent Carbon Number-based Aromatic Hydrocarbon Fractions in Mineral Oil. [ 3rd International Contaminated Site Remediation Conference Proceedings, (2009), 254-255 ] H. Bacosa, K. Suto and C. Inoue

● Studies on thermophilic bioleaching of chalcopyrite toward heap application. [ Advanced Materials Research, 71-73, (2009), 357-360 ] J. Vilcaez, K. Suto, C. Inoue

●Trichlororthylene Transformation in Aerobic Pyrite Suspension : Pathways and Kinetic Modeling. [ Environmental Science & Technology, 43 (17), (2009), 6744-6749 ] Pham Thi Hoa, Koichi Suto, Chihiro Inoue

●CFD解析と実験によるバッフル設置加圧浮上槽の検討. [ 環境工学研究論文集, 46, (2009), 145-154 ] 寺嶋光春, 岩崎守, 安井英斉, ラジブ・ゴエル, 井上千弘, 須藤孝一

●生物を利用した資源開発と環境修復. [ Green Report 2009, (2009), 19-22 ] 井上千弘

●集積培養における鉄酸化細菌と真菌との相互関係の推定. [ Journal of MMIJ, 125 (4,5), (2009), 165-170 ] 趙成珍, 横田敦, 須藤孝一, 井上千弘, 千田信

●福島県内に流通する家畜ふん堆肥中の微量元素濃度の実態. [ 日本土壤肥料学会誌, 80, (2009), 250-256 ] 松浪寿弥, 小川泰正, 山崎慎一, 三浦吉則

#### 【著書】

●鉄酸化細菌を用いたバイオリーチングの高効率化. [ メタルバイオテクノロジーによる環境保全と資源回収, (2009), シーエムシー出版 ] 植田充美, 池道彦, 井上千弘 他

## 環境分析化学分野

#### 【論文】

●A supramolecular sensing system for Ag<sup>I</sup> at nanomolar levels by the formation of a luminescent Ag<sup>I</sup>-Tb<sup>III</sup>-thiacalix[4] arene ternary complex. [ New Journal of Chemistry, 33 (1), (2009), 23-25 ] Nobuhiko Iki, Munehiro Ohta, Teppei Tanaka, Takayuki Horiuchi and Hitoshi Hoshino

● Capillary Electrophoretic Separation of Humic Substances

Using Hydroxyethyl Cellulose as A Buffer Additive and Its Application to Characterization of Humic Substances in A River Water Sample. [ Analytical and Bioanalytical Chemistry, 393, (2009), 761-766 ] Toru Takahashi, Jun Kawana, Hitoshi Hoshino

● Detection of Cationic Guest Molecules by Quenching of Luminescence of a Self-assembled Host Molecule Consisting of Tb<sup>III</sup> and Calix[4] arene-p-tetrasulfonates. [ Anal. Chim. Acta, 650 (2), (2009), 258-263 ] Takayuki Horiuchi, Nobuhiko Iki, and Hitoshi Hoshino

● Expanding the scope of CE reactor to ssDNA-binding protein-ssDNA complexes as exemplified for a tool for direct measurement of dissociation kinetics of biomolecular complexes. [ Electrophoresis, 30 (17), (2009), 3079-3085 ] Toru Takahashi, Kei-ichirou Ohtsuka, Yoriyuki Tomiya, Nobuhiko Iki, Hitoshi Hoshino

● Ligand-Substitution Mode Capillary Electrophoretic Reactor: Extending Capillary Electrophoretic Reactor toward Measurement of Slow Dissociation Kinetics with a Half-Life of Hours. [ Analytical Chemistry, 81 (18), (2009), 7849-7854 ] Nobuhiko Iki, Mariko Takahashi, Toru Takahashi, Hitoshi, Hoshino

● Non-covalent strategy for activating separation and detection functionality by use of the multifunctional host molecule thiactalixarene. [ J. Incl. Phenom. Macrocycl. Chem., 64 (1-2), (2009), 1-13 ] Nobuhiko Iki

● One-step heterogeneous assembly of terbium(III) and silver(I) with thiactalix[4] arene ligands to form a cage including terbium(III) in an octa-oxygen cube. [ J. Incl. Phenom. Macrocycl. Chem., 64 (3-4), (2009), 379-383 ] Teppei Tanaka, Nobuhiko Iki, Takashi Kajiwara, Masahiro Yamashita and Hitoshi Hoshino

● Separation of Oligonucleotides with Single Base Mutation by Capillary Electrophoresis Using Specific Interaction of Metal Ion with Nucleotide. [ Analyst, 134 (7), (2009), 1299-1301 ] Toru Takahashi, Takao Sakurai, Koichiro Hirata, Hitoshi Hoshino

#### 【総説・解説】

●イムノアッセイ用ラベル化試薬の乾燥・固化保存法. [ ぶんせき, 412 (4), (2009), 204-204, 日本分析化学会] 高橋透

## 環境生命機能学分野

#### 【論文】

● A microfluidic device with interdigitated array electrodes for detection of hormone active chemicals using genetically-engineered yeast cells. [ Proceedings of Conference The 13th nternational Conference on Miniaturized Systems for Chemistry and Life Sciences, (2009), 1623-1625 ] Kosuke Ino, Yusuke Kitagawa, Hitoshi Shiku, Masahiro Koide, Yoshiko Horiguchi, Tomoaki Itayama, Tomoyuki Yasukawa, Tomokazu Matsue

- A microfluidic dual capillary probe to collect messenger RNA from adherent cells and spheroids. [ Analytical Biochemistry, 385 (1), (2009), 138-142 ] H. Shiku, T. Yamakawa, Y. Nashimoto, Y. Takahashi, Y. Torisawa, T. Yasukawa, T. Ito-Sasaki, M. Yokoo, H. Abe, H. Kambara, T. Matsue
- Application of magnetic force-based cell patterning for controlling cell-cell interactions in angiogenesis. [ Biotechnology and Bioengineering, 102 (3), (2009), 882-890 ] Kosuke Ino, Mina Okochi, Hiroyuki Honda
- Control of the microparticle position in the channel based on dielectrophoresis. [ Sensors & Actuators B, 142, (2009), 400-403 ] T. Yasukawa, M. Suzuki, H. Shiku, T. Matsue
- Detection of hormone active chemicals using genetically-engineered yeast cells and microfluidic devices with interdigitated array electrodes. [ Electrophoresis, 30 (19), (2009), 3406-3412 ] K. Ino, Y. Kitagawa, T. Watanabe, H. Shiku, M. Koide, T. Itayama, T. Matsue
- Detection of pesticide residues using an immunodevice based on negative dielectrophoresis. [ Biosensors and Bioelectronics, 24 (6), (2009), 1592-1597 ] J. Ramo'n-Azco'n, R. Kunikata, F.-J. Sanchez, M.-P. Marco, H. Shiku, T. Yasukawa, T. Matsue
- Development of electrochemical reporter assay using HeLa cells transfected with vector plasmids encoding various responsive elements. [ Analytica Chimica Acta, 640 (1-2), (2009), 87-92 ] H. Shiku, M. Takeda, T. Murata, U. Akiba, F. Hamada, T. Matsue
- Electrochemical Single-Cell Gene Expression Assay Combining Dielectrophoretic Manipulation with Secreted Alkaline Phosphatase Reporter System. [ Biosens. Bioelectron., 25, (2009), 913-919 ] T. Murata, T. Yasukawa, H. Shiku, T. Matsue
- Electrochemical characterization of enzymatic activity of yeast cells entrapped in a poly(dimethylsiloxane) microwell on the basis of limited diffusion system. [ Analyst, 134 (1), (2009), 182-187 ] H. Shiku\*, S. Goto, S. B Jung, K. Nagamine, M. Koide, T. Itayama, T. Yasukawa, T. Matsue
- Electrochemical Detection of Epidermal Growth Factor Receptors on a Single Living Cell Surface by Scanning Electrochemical Microscopy. [ Anal. Chem., 81 (7), (2009), 2785-2790 ] Y. Takahashi, T. Miyamoto, H. Shiku, R. Asano, T. Yasukawa, I. Kumagai, T. Matsue
- Electrochemical gene-function analysis for single cells with addressable microelectrode/microwell arrays. [ Angewandte Chemie (International ed. in English), 48, (2009), 2044-2046 ] Z. Y. Lin, Y. Takahashi, T. Murata, M. Takeda, K. Ino, H. Shiku, T. Matsue
- Entrapment and Measurement of a Biologically Functionalized Microbead with a Microwell Electrode. [ Lab Chip, 9, (2009), 1185-1192 ] C. Y. Chang, Y. Takahashi, T. Murata, H. Shiku, H. C. Chang, T. Matsue

- Lateral arrays of vertical ZnO nanowalls on a periodically polarity-inverted ZnO template. [ Nanotechnology, 20 (23), (2009), Article number 235304 ] Lee, S.H., Minegishi, T., Ha, J.-S., Park, J.-S., Lee, H.-J., Lee, H.J., Shiku, H., Matsue, T., Hong, S.-K., Jeon, H., Yao, T.
- Magnetic manipulation device for the optimization of cell processing conditions. [ Journal of Bioscience and Bioengineering, (2009) ] Hiroshi Ito, Ryuji Kato, Kosuke Ino and Hiroyuki Honda,
- Manipulation of microparticles for construction of array patterns by negative dielectrophoresis using multilayered array and grid electrodes. [ Biotechnology and Bioengineering, 104, 4), (2009), 709-718 ] K. Ino, H. Shiku, F. Ozawa, T. Yasukawa, T. Matsue
- Microfluid-assisted dielectrophoretic alignment and device characterization of single ZnO wires. [ Journal of Physical Chemistry C, 113 (45), (2009), 19376-19381 ] Sang Hyun Lee, Hyun Jung Lee, Kosuke Ino, Hitoshi Shiku, Takafumi Yao and Tomokazu Matsue
- Simple and Rapid Preparation of Vertically Aligned Gold Nanoparticle Arrays and Fused Nanorods in Pores of Alumina Membrane Based on Positive Dielectrophoresis. [ Sens. Actua. B., 136, (2009), 320-325 ] H. J. Lee, T. Yasukawa, M. Suzuki, S. H. Lee, T. Yao, Y. Taki, A. Tanaka, M. Kameyama, H. Shiku, T. Matsue
- Three dimensional microelectrode array device integrating multi-channel microfluidics to realize manipulation and characterization of enzyme-immobilized polystyrene beads. [ Sensors & Actuators B, 141, (2009), 256-262 ] R. Kunikata, Y. Takahashi, M. Koide, T. Itayama, T. Yasukawa, H. Shiku, T. Matsue
- Transfected single-cell imaging by scanning electrochemical optical microscopy with shear force feedback regulation. [ Analytical Chemistry, 81, 23), (2009), 9647-9681 ] Y. Takahashi, H. Shiku, T. Murata, T. Yasukawa, T. Matsue

#### 【著書】

- 第4編 第2章 電気化学検出. [ マイクロ・ナノ化学チップと医療・環境・バイオ分析, (2009), 150-159, 技術出版社 ] 末永智一
- 第5節 電気化学. [ MEMS/NEMS工学大全, (2009), 165-170, テクノシステム ] 末永智一

#### 【総説・解説】

- 走査型イオンコンダクタンス顕微鏡(SICM)の開発. [ バリティ, 24 (2), (2009), 32-34, 丸善株式会社 ] 末永智一
- 電気化学的多点計測デバイス. [ 未来材料, 8月号, (2009), 56-61, 株式会社エヌ・ティー・エス ] 珠玖仁, 伊野浩介, 末永智一

#### 【特許】

- 電気化学測定装置の製造方法. [特開2009-174948] 板山朋聡, 小出昌弘, 末永智一, 安川智之, 長嶺邦明, 珠玖仁

- 燃料電池. [特許4300743] 板橋武之, 赤星晴夫, 末永智一, 西澤松彦

### 環境共生機能学分野

#### 【論文】

- Biodistribution imaging of magnetic particles in mice: X-ray scanning analytical microscopy and magnetic resonance imaging. [ Biomedical Materials and Engineering, 19, (2009), 213-220 ] S. Abe, I. Kida, M. Esaki, T. Akasaka, M. Uo, T. Hosono, Y. Sato, B. Jeyadevan, Y. Kuboki, M. Morita, K. Tohji, F. Watari
- Carbon nanohorns-coated microfibers for use as free-standing electrodes for electrochemical power sources. [Electrochemistry Communications, 11, (2009), 862-866] B. Aïssa, Z. Hamoudi, H. Takahashi, K. Tohji, M. Mohamedi, M. A. E. Khakani
- Characterization of Silver Nanoparticle-Decorated Single-Walled Carbon Nanotube Films. [ Fullerenes, Nanotubes, and Carbon Nanostructures, 17, (2009), 587-599 ] Masaru Namura, Yoshinori Sato, Naoki Sashida, Shin-ichi Ogino, Kenichi Motomiya, Balachandran Jeyadevan, Kazuyuki Tohji
- Effect of Alkaline Catalysts on Hydrothermal Conversion of Glycerin into Lactic Acid. [Industrial & Engineering Chemistry Research, 48, (2009), 8920-8925] Z. Shen, F. Jin, Y. Zhang, B. Wu, A. Kishita, K. Tohji, H. Kishida
- Effect of carbon nanotubes on cellular functions in vitro. [ Journal of Biomedical Materials Research A, 91A, (2009), 132-139 ] X. M. Li, H. Gao, M. Uo, Y. Sato, T. Akasaka, Q. L. Feng, F. Z. Cui, X. H. Liu, F. Watari
- Electron-stimulated Defect Formation in Single-walled Carbon Nanotubes Studied by Hydrogen Thermal Desorption Spectroscopy. [ Applied Surface Science, 256, (2009), 1196-1199 ] Satoshi Arima, Sangkil Lee, Yutaka Mera, Shohei Ogura, Katsuyuki Fukutani, Yoshinori Sato, Kazuyuki Tohji, Koji Maeda
- Heat diffusion characteristics of magnetite nanoparticles dispersed hydro-gel in alternating magnetic field. [Journal of Magnetism and Magnetic Materials, 321, (2009), 3483-3487] M. Suto, H. Kosukegawa, K. Maruta, M. Ohta, K. Tohji, B. Jeyadevan
- Heat dissipation mechanism of magnetite nanoparticles in magnetic fluid hyperthermia. [Journal of Magnetism and Magnetic Materials, 321, (2009), 1493-1496] M. Suto, Y. Hirota, H. Mamiya, A. Fujita, R. Kasuya, K. Tohji, B. Jeyadevan
- Material nanosizing effect on living organism: non-specific, biointeractive, physical size effect. [ Journal of the Royal Society Interface, 6, (2009), S371-S388 ] Fumio Watari, Noriyuki Takashi, Atsuro Yokoyama, Motohiro Uo, Tsukasa Akasaka, Yoshinori Sato, Shigeaki Abe, Yasunori Totsuka, Kazuyuki Tohji
- Maturation of osteoblast-like SaoS2 induced by carbon nanotubes. [ Nanomedical Materials, 4 (1), (2009),

- 015005(1)-015005(8) ] Xiaoming Li, Hong Gao, Motohiro Uo, Yoshinori Sato, Tsukasa Akasaka, Shigeaki Abe, Qingling Feng, Fuzhai Cui, Fumio Watari
- P-N junction with donor and acceptor encapsulated single-walled carbon nanotubes. [Applied Physics Letters, 95, (2009), 083109] T. Kato, R. Hatakeyama, J. Shishido, W. Oohara, K. Tohji
- Preparation and characterization of lanthanum carbide encapsulated carbon nanocapsule/lanthanum hexaboride nanocomposites. [ Materials Letters, 63, (2009), 1307-1310 ] Masaru Namura, Ippei Waki, Yoshinori Sato, Go Yamamoto, Akira Okubo, Hisamichi Kimura, Naohisa Osaka, Kenichi Motomiya, Toshiyuki Hashida, Balachandran Jeyadevan, Kazuyuki Tohji
- Synthesis of magnetite nanoparticles for AC magnetic heating. [Journal of Magnetism and Magnetic Materials, 321, (2009), 3019-3023] T. Hosono, H. Takahashi, A. Fujita, R. Justin Joseyphus, K. Tohji, B. Jeyadevan
- カーボンナノチューブの長さ制御. [ 粉体技術, 1, (2009), 44-50 ] 名村優, 佐藤義倫, 田路和幸
- 磁気温熱療法に適した磁性酸化鉄ナノ粒子の合成と特性評価. [ Thermal Medicine, 25, (2009), 43-52 ] パラチャンドラン・ジャヤアワン, 渥美崇, 須藤誠, 粕谷亮, 佐藤義倫, 田路和幸

#### 【著書】

- 第5章 第1節 カーボンナノチューブの毒性評価. [ カーボンナノチューブの毒性評価”、カーボンナノチューブの精製・前処理と分散・可溶化技術, (2009), 427-445, 技術情報協会 ] 佐藤義倫, 横山敦郎, 田路和幸

#### 【総説・解説】

- カーボンナノチューブ - バイオインターフェース. [ 表面科学, 30, (2009), 202-206, 社団法人 日本表面科学会] 佐藤義倫, 田路和幸, 湯田坂雅子
- カーボンナノチューブの毒性評価. [ 化学工業, (2009), 化学工業社] 佐藤義倫, 横山敦郎, 田路和幸

#### 【特許】

- カーボンナノチューブおよびその製造方法. [特開2009-256189] 大森守, 田路和幸, 橋田俊之
- カーボンナノチューブの評価方法. [特開2009-242231] 佐藤義倫, 田路和幸, 小倉正平, 福谷克之, 名村優
- 高活性光触媒およびその製造方法. [特許4357801] 田路和幸, 岸本章, 新子貴史
- 固化カーボンナノチューブおよびその製造方法. [特許4261251] 大森守, 田路和幸, 橋田俊之
- 触媒の製造方法. [特開2009-247955] 田路和幸, 高橋英志, 湯崎浩一, 宮崎達郎
- 炭化ケイ素結合カーボンナノチューブ固化体とその製造方法.

[特許4238368] 大森守, 田路和幸, 橋田俊之

●非水電解液二次電池用負極材料. [特開2009-135094] 田路和幸, 佐藤義倫, 伊藤隆, 松本高利, 高橋幸典, 沼田達治, 坂内裕, 笠原竜一, 岸本章, 伊藤貴裕, 松本博道, 小倉慎一

●有機物質で被覆された銀微粉の製法および銀微粉. [特許4294705] 佐藤王高, バラチャンドラン・ジャヤデワン, 田路和幸

## 資源循環プロセス学講座

### リサイクル化学分野

#### 【論文】

●Chemical modification of poly(vinyl chloride) by nucleophilic substitution. [ Polymer Degradation and Stability, 94 (1), (2009), 107-112 ] Tomohito Kameda, Masahiko Ono, Guido Grause, Tadaaki Mizoguchi, Toshiaki Yoshioka

● Chemical modification of PVC using Na<sub>2</sub>S. [ Proc. The 5th International Symposium on Feedstock and Mechanical Recycling of Polymeric Materials (ISFR2009), (2009), 15-20 ] Makoto Yoshihara, Guido Grause, Tomohito Kameda, Toshiaki Yoshioka

● Continuous Treatment of Bisphenol A and Diethyl Phthalate Solutions Using Dodecylsulfate-Intercalated Mg-Al Layered Double Hydroxide Particles Packed in Column. [ Materials Transactions, 50, (2009), 1541-1547 ] Tomohito Kameda, Masami Saito and Yoshiaki Umetsu

● Determination of Fluoride Using Ion-selective Electrodes in the Presence of Aluminum. [Analytical Sciences, 25, (2009), 1437-1443] Siqingaowa Borjin, Yuuta Ashimura, Toshiaki Yoshioka, Tadaaki Mizoguchi

● Determination of the activation energy of the decomposition of flame retarded HIPS under special consideration of the compensation effect. [ Proc. The 5th International Symposium on Feedstock and Mechanical Recycling of Polymeric Materials (ISFR2009), (2009), 5-9 ] Guido Grause, Jun Ishibashi, Tomohito Kameda, Thallada Bhaskar, Toshiaki Yoshioka

●Effect of a phase-transfer catalyst on the chemical modification of poly(vinyl chloride) by substitution with thiocyanate as a nucleophile. [ Materials Chemistry and Physics, 118, (2009), 362-366 ] Tomohito Kameda, Masahiko Ono, Guido Grause, Tadaaki Mizoguchi, Toshiaki Yoshioka

● Efficient dehalogenation of automobile shredder residue in NaOH/ethylene glycol using a ball mill. [ Chemosphere, 74 (2), (2009), 287-292 ] Tomohito Kameda, Yuuzou Fukuda, Kye-Sung Park, Guido Grause, Toshiaki Yoshioka

● Hybrid inorganic/organic composites of Mg-Al layered double hydroxides intercalated with citrate, malate, and tartrate prepared by co-precipitation. [ Materials Research Bulletin, 44 (2), (2009),

840-845 ] Tomohito Kameda, Hidenori Takeuchi, Toshiaki Yoshioka

● Kinetics of the dehydrochlorination of poly(vinyl chloride) in the presence of NaOH and various diols as solvents. [ Polymer Degradation and Stability, (94), (2009), 1595-1597 ] Tomohito Kameda, Katsuaki Imai, Guido Grause, Tadaaki Mizoguchi, Toshiaki Yoshioka

● Preparation of Fe-Al layered double hydroxide and its application in Sb removal. [ Fresenius Environmental Bulletin, 18 (6), (2009), 1006-1010 ] Tomohito Kameda, Noritoshi Yagihashi, Kye-Sung Park, Guido Grause, Toshiaki Yoshioka

● Preparation of Mg-Al layered double hydroxides intercalated with alkyl sulfates and investigation of their capacity to take up N,N-dimethylaniline from aqueous solutions. [ Solid State Sciences, 11, (2009), 2060-2064 ] Tomohito Kameda, Yuuichi Tsuchiya, Takashi Yamazaki, Toshiaki Yoshioka

● Preparation of Mg-Al layered double hydroxide intercalated with 2,7-naphthalene disulfonate and its selective uptake of aromatic compounds from aqueous solutions. [ Bulletin of the Chemical Society of Japan, 82 (11), (2009), 1436-1440 ] Tomohito Kameda, Takashi Yamazaki, Toshiaki Yoshioka

● Preparation of organic acid anion-modified magnesium hydroxides by coprecipitation: A novel material for the uptake of heavy metal ions from aqueous solutions. [ Journal of Physics and Chemistry of Solids, 70, (2009), 1104-1108 ] Tomohito Kameda, Hidenori Takeuchi, Toshiaki Yoshioka

●Pyrolysis of mixed plastics in the fluidized bed using hard burnt lime as bed material. [ Proc. The 5th International Symposium on Feedstock and Mechanical Recycling of Polymeric Materials (ISFR2009), (2009), 47-51 ] Shotaro Matsumoto, Guido Grause, Tomohito Kameda, Toshiaki Yoshioka

● Pyrolytic hydrolysis of polycarbonate in the presence of earth-alkali oxides and hydroxides. [ Polymer Degradation and Stability, 94 (7), (2009), 1119-1124 ] Guido Grause, Katsuya Sugawara, Tadaaki Mizoguchi, Toshiaki Yoshioka

● Recovery of indium from In<sub>2</sub>O<sub>3</sub> and liquid crystal display powder via a chloride volatilization process using polyvinyl chloride. [ Thermochimica Acta, 493 (1-2), (2009), 105-108 ] Kye-Sung Park, Wakao Sato, Guido Grause, Tomohito Kameda, Toshiaki Yoshioka

● Recovery of indium from In<sub>2</sub>O<sub>3</sub> and liquid crystal display powder using dehydrochlorination of poly(vinyl chloride). [Proc. The 5th International Symposium on Feedstock and Mechanical Recycling of Polymeric Materials (ISFR2009), (2009), 1-4] Tomohito Kameda, Kye-Sung Park, Wakao Sato, Guido Grause, Toshiaki Yoshioka

● Recovery of metal from scrap of wire via a chloride volatilization process using polyvinyl chloride. [ Proc. The 10th International Symposium on East Asian Resources Recycling

Technology (EARTH2009), (2009), 623-626 ] Shoko Fukushima, Guido Grause, Tomohito Kameda, Toshiaki Yoshioka

● Selective uptake of aromatic compounds from aqueous solutions by Mg-Al layered double hydroxide intercalated with 2,7-naphthalenedisulfonateDisulfonate. [ Chemistry Letters, 38 (6), (2009), 522-523 ] Tomohito Kameda, Takashi Yamazaki, and Toshiaki Yoshioka

#### 【総説・解説】

●化学していますか?リサイクルしていますか?. [ 高分子, 58 (6月), (2009), 社団法人高分子学会] 吉岡敏明

●プラスチックのリサイクル. [ まなびの杜, (47), (2009), 4-5, 東北大学] 吉岡敏明

●リサイクルと化学そしてトランスファーテクノロジー. [ 化学と工業, 62 (9), (2009), 988-989, 日本化学会] 吉岡敏明

### 循環社会開発学分野

#### 【論文】

● Calcium phosphate porous materials with unique microstructures. [ Key Engineering Materials, 396-398, (2009), 645-658 ] K. Ioku, M. Kamitakahara, N. Watanabe, O. Kawaguchi, S. Murakami, T. Ikeda

● Development of discrete fracture network model simulator, GeoFlow, for evaluation of three dimensional channeling flow. [ Proceedings of International Petroleum Technology Conference, CD-ROM, (2009), IPTC 13143 ] T. Ishibashi, N. Watanabe, N. Hirano, N. Tsuchiya

● Direct measurement of contact area and stress dependence of anisotropic flow through rock fracture with heterogeneous aperture distribution. [ Earth and Planetary Science Letters, 281 (1-2), (2009), 81-87 ] K. Nemoto, N. Watanabe, N. Hirano, N. Tsuchiya

● Diversity of channeling flow in heterogeneous aperture distribution inferred from integrated experimental-numerical analysis on flow through shear fracture in granite. [ Journal of Geophysical Research - Solid Earth, 114, (2009), B04208 ] N. Watanabe, N. Hirano, N. Tsuchiya

● Evaluation of photocatalytic activity of anatase/hydroxyapatite composite granules for environmental purification. [ Journal of the Ceramic Society of Japan, 117 (11), (2009), 1172-1174 ] M. Kamitakahara, S. Murakami, N. Watanabe, S. Ji, H. Nishikawa, K. Ioku

● Hydrothermal synthesis of hydroxyapatite from octacalcium phosphate: effect of hydrothermal temperature. [ Journal of the Ceramic Society of Japan, 117 (3), (2009), 385-387 ] M. Kamitakahara, N. Ito, S. Murakami, N. Watanabe, K. Ioku

● Water soluble/insoluble fractions of bitumen at hydrothermal conditions inferred by direct observation using visible-type autoclave. [ Proceedings of the 8th world congress of chemical

engineering, published by electronic media, (2009) ] N. Watanabe, Y. Takeuchi, T. Kayouda, A. Kishita

●Observation of the heavy crude oil dissolution behavior under supercritical condition of water. [ Proceedings of International Petroleum Technology Conference, CD-ROM, (2009), IPTC 13898 ] A. Kishita, N. Watanabe, J. Vilcaez

●Three dimensional analysis of channeling flow by new discrete fracture network model simulator, GeoFlow. [ Proceedings of the 15th Formation Evaluation Symposium of Japan, (2009), N1-N6 ] T. Ishibashi, N. Watanabe, N. Hirano, A. Okamoto, N. Tsuchiya

● Three dimensional numerical analysis of fluid flow through fractured rock core using X-ray computed tomography. [ Proceedings of International Petroleum Technology Conference, CD-ROM, (2009), IPTC 13164 ] N. Watanabe, N. Hirano, N. Tsuchiya, Y. Osaki, T. Tamagawa, Y. Tsuchiya, H. Okabe

● Utilization of X-ray computed tomography in three dimensional numerical modeling of fluid flow through fractured rock core. [ Proceedings of the 15th Formation Evaluation Symposium of Japan, (2009), M1-M10 ] N. Watanabe, Y. Ohsaki, Y. Tsuchiya, T. Tamagawa, N. Hirano, H. Okabe, T. Tsuchiya

### 環境グリーンプロセス学分野

#### 【論文】

● Effect of inorganic carbon on photoautotrophic growth of microalga Chlorococcum littorale. [ Biotechnology Progress, 25 (2), (2009), 492-498 ] Ota, M., Kato, Y., Watanabe, H., Watanabe, M., Sato, Y., Smith Jr., R.L., Inomata, H.

● Efficient process for conversion of fructose to 5-hydroxymethylfurfural with ionic liquids. [ Green Chemistry, 11 (9), (2009), 1327-1331 ] Xinhua Qi, Masaru Watanabe, Taku M. Aida, Richard L. Smith and Jr.

● Decentralized chemical processes with supercritical fluid technology for sustainable society. [ Journal of Supercritical Fluids, 47 (3), (2009), 628-636 ] Arai, K., Smith Jr., R.L., Aida, T.M.

●Dehydration of lactic acid to acrylic acid in high temperature water at high pressures. [ Journal of Supercritical Fluids, 50 (3), (2009), 257-264 ] Aida, T.M., Ikarashi, A., Saito, Y., Watanabe, M., Smith Jr., R.L., Arai, K.

● Formation of zinc silicate in supercritical water followed with in situ synchrotron radiation X-ray diffraction. [ Journal of Supercritical Fluids, 49 (3), (2009), 351-355 ] Takesue, M., Shimoyama, K., Shibuki, K., Suino, A., Hakuta, Y., Hayashi, H., Ohishi, Y., Smith Jr., R.L.

● Fatty acid production from a highly CO<sub>2</sub> tolerant alga, Chlorocuccum littorale, in the presence of inorganic carbon and nitrate. [ Bioresource Technology, 100 (21), (2009), 5237-5242 ] Ota, M., Kato, Y., Watanabe, H., Watanabe, M., Sato, Y., Smith

Jr., R.L., Inomata, H.

● High-pressure densities of 1-alkyl-3-methylimidazolium hexafluorophosphates and 1-alkyl-3-methylimidazolium tetrafluoroborates at temperatures from (313 to 473) K and at pressures up to 200 MPa. [ Journal of Chemical and Engineering Data, 54 (1), (2009), 22-27 ] Taguchi, R., Machida, H., Sato, Y., Smith Jr., R.L.

● Measurement and correlation of supercritical CO<sub>2</sub> and ionic liquid systems for design of advanced unit operations. [ Frontiers of Chemical Engineering in China, 3 (1), (2009), 12-19 ] Machida, H., Taguchi, R., Sato, Y., Florusse, L.J., Peters, C.J., Smith Jr., R.L.

● Preface. [ Journal of Crystal Growth, 311 (3), (2009), 435-435 ] Nakajima, K., Fujioka, H., Smith Jr., R.L.

● Pressure profile separation of phenolic liquid compounds from cashew (*Anacardium occidentale*) shell with supercritical carbon dioxide and aspects of its phase equilibria. [ Journal of Supercritical Fluids, 48 (3), (2009), 203-210 ] Setianto, W.B., Yoshikawa, S., Smith Jr., R.L., Inomata, H., Florusse, L.J., Peters, C.J.

● Rapid separation of shikimic acid from Chinese star anise (*Illicium verum* Hook f) with hot water extraction. [ Separation and Purification Technology, 69 (1), (2009), 102-108 ] Ohira, H., Torii, N., Aida, T.M., Watanabe, M., Smith Jr., R.L.

● Sulfated zirconia as a solid acid catalyst for the dehydration of fructose to 5-hydroxymethylfurfural. [ Catalysis Communications, 10 (13), (2009), 1771-1775 ] Xinhua Qi, Masaru Watanabe, Taku M. Aida and Richard L. Smith Jr.

● The 20th anniversary of the Journal of Supercritical Fluids-A special issue on future directions in supercritical fluid science and technology. [ Journal of Supercritical Fluids, 47 (3), (2009), 333-335 ] Kiran, E., Brunner, G., Smith Jr., R.L.

#### 【特許】

● 超臨界水バイオマス燃焼ボイラー. [特許4284471] 新井邦夫, 猪股宏, スミス リチャード リー, 渡邊賢, 小野實信, 鈴木明, 川崎慎一郎, 畑田清隆, 服部秀雄, 野中利之, 田嶋聖彦

### 循環材料プロセス学分野

#### 【論文】

● Alkali borosilicate glass by fly ash from a coal-fired power plant. [ Chemosphere, 74, (2009), 320-324 ] Jong Soo Park, Shoji Taniguchi, Young Jun Park

● Application of Microwave Heating to Steel Industry and Environmental Technology. [ The 3rd Asian Workshop and Summer School on Electromagnetic Processing of Materials (Asian - EPM 2008), (2009), 183-186 ] Noboru Yoshikawa, Yan Chen,

Etsuko Ishizuka, You Sasaki, Ken-ichi Mashiko, Shoji Taniguchi

● Application of Microwave Heating to Reaction between Soda-Lime Glass and Liquid Al for Fabrication of Composite Materials. [ Materials Transactions, 50 (5), (2009), 1174-1178 ] N.Yoshikawa, H.Wang and S.Taniguchi

● Application of Microwave Technique for Dehydration of Sludge Generated in a Stainless Steel Plant. [ ISIJ International, 49 (4), (2009), 596-601 ] Kazuo Iwasaki, Ken-ichi Mashiko, Youichi Saito, Noboru Yoshikawa, Hidekazu Todoroki and Shoji Taniguchi

● Directional selectivity of microwave H field heating of Au thin films and non-doped Si plates. [ Mater. Chem. Phys., 117, (2009), 14-17 ] Z.Cao, N.Yoshikawa and S.Taniguchi

● Double-Axis-Electromagnetic Stirring for Production of High Quality Semi-Solid with Cup-Cast Method. [ 6th International Conference on Electromagnetic Processing of Materials, EPM2009, 2009, Dresden, Germany, (2009), 648-651 ] S.Shimasaki, K.Ueno, S, Taniguchi, K.Anzai, M.Itamura

● Electromagnetic separation of inclusions from molten copper by alternating electromagnetic field. [ 6th International Conference on Electromagnetic Processing of Materials, EPM2009, 2009, Dresden, Germany, (2009), 86-89 ] M.Higuchi, H.Ambai, S.Shimasaki, C.Kamata, S.Teshigawara, S.Taniguchi

● Fabrication of Ni-Nb-Sn metallic glassy alloy powder and its microwave-induced sintering behavior. [ Journal of Microwave Power and Electromagnetic Energy, 43 (1), (2009), 17-22 ] G.Q.Xie, S.Li, D.V.Louzguine-Luzgine, Z.Cao, N.Yoshikawa, M.Sato and A.Inoue

● Formation of Uniformly-Sized Droplets from Capillary Jet by Electromagnetic Force. [ Proc. 7th International Conference on CFD in the Minerals and Process Industries, CD-ROM, (2009) ] Shin-ichi SHIMASAKI, Shoji TANIGUCHI

● Manufacturing of Uniformly-Sized Silicon Particles for Solar Cell from Molten Metal Jet by Electromagnetic Pinch Force. [ 6th International Conference on Electromagnetic Processing of Materials, EPM2009, 2009, Dresden, Germany, (2009), 899-902 ] S.Shimasaki, K.Imanichi, S.Taniguchi, V.Bojarevics

● MICRO/NANO STRUCTURES AND MAGNETIC PROPERTIES OF MICROWAVE HEATED Fe<sub>3</sub>O<sub>4</sub>. [ Proc. of 12'th Int. Conf. on Microwave and High Freq. Heating (AMPERE2009), CD-ROM, (2009) ] T.Kato, N.Yoshikawa, A.Fujita, Z.Cao, G.Xie, D.Louzguine and S.Taniguchi

● Micro/nanostructure observation of microwave-heated Fe<sub>3</sub>O<sub>4</sub>. [ Journal of Materials Research, 24 (5), (2009), 1741-1747 ] N.Yoshikawa, Z.Cao, D.Louzguin, G.Xie, S.Taniguchi

● Microwave Application for Environmental Processing. [ 6th International Conference on Electromagnetic Processing of Materials, EPM2009, 2009, Dresden, Germany, (2009), 369-372 ] N.Yoshikawa, K.Mashiko, Y.Saito, K.Iwasaki, H.Todoroki, S.Taniguchi

● Microwave Application for Environmental Processing. [ Proc. of 6'th Int. Conf. on Electromagnetic Processing of Materials (EPM2009), CD-ROM, (2009) ] N.Yoshikawa, K.Mashiko, Y.Saito, K.Iwasaki, H.Todoroki and S.Taniguchi

● Microwave Heating Behavior of Nanocrystalline Au Thin Films in Single Mode Cavity. [ Journal of Materials Research, 24 (1), (2009), 268-273 ] Ziping Cao, Noboru Yoshikawa and Shoji Taniguchi

● Microwave heating characteristic of multilayered structures in a single mode cavity. [ Journal of Microwave Power and Electromagnetic Energy, 43 (1), (2009), 33-38 ] Ziping Cao, Zhanjie Wang, Noboru Yoshikawa and Shoji Taniguchi

● Microwave Heating of Metals and Its Application to Various Fields. [ 6th International Conference on Electromagnetic Processing of Materials, EPM2009, 2009, Dresden, Germany, (2009), 353-356 ] N.Yoshikawa, Z.Cao, K.Mashiko, S.Taniguchi

● Microwave Heating of Metals and Its Application to Various Fields. [ Proc. of 6'th Int. Conf. on Electromagnetic Processing of Materials (EPM2009), CD-ROM, (2009) ] N.Yoshikawa, Z.Cao, K.Mashiko and S.Taniguchi

● MICROWAVE HETAING OF METALS -- RECENT EXPERIMENTAL STUDIES IN OUR GROUP -. [ Proc. of 12'th Int. Conf. on Microwave and High Freq. Heating (AMPERE2009), CD-ROM, (2009) ] N.Yoshikawa, Z.Cao, K.Mashiko and S.Taniguchi

● Microwave-induced heating of a single glassy phase and a two-phase material consisting of a glass and Fe powder. [ Philosophical Magazine Letters, 89 (2), (2009), 86-94 ] D.V.Louzguine-Luzgin, G.Q.Xie, S.Li, A.Inoue, N.Yoshikawa and M.Sato

● Microwave-induced sintering of NiNbTiPt metallic glass blended with Sn powders using a single mode applicator. [ The 13th International Conference on Rapidly Quenched and Metastable Materials, 144 (12949), (2009), 1-4 ] G.Q.Xie, S.Li, D.V.Louzguine-Luzgin, Z.Cao, N.Yoshikawa, M.Sato and A.Inoue

● Microwave Processing for Environmental technology in Iron and Steel Industry. [ Proc. of Int. Symp. on Microwave Appl. Mater. Proces. and Metall. Eng.(MAMM2009), (2009), 1-6 ] N.Yoshikawa, Y.Chen, E.Ishizuka, Y.Sasaki, K.Mashiko and S.Taniguchi

● Model Experiment on Inclusion Removal by Bubble Flotation Accompanied by Particle Coagulation in Turbulent Flow. [ ISIJ International, 49 (7), (2009), 965-974 ] Hirotada Arai, Katsutoshi Matsumoto, Shin-ichi Shimasaki, Shoji Taniguchi

● Numerical Simulation of Temperature Distribution in Multi-Phase Materials as a Result of Selective Heating by Microwave Energy. [ Journal of Microwave Power and Electromagnetic Energy, 43 (1), (2009), 27-33 ] Noboru Yoshikawa, Yoshio Tokuyama

● Prospect for EPM Application to Environmental Technology. [ 6th International Conference on Electromagnetic Processing of Materials, EPM2009, 2009, Dresden, Germany, (2009), 3-8 ]

S.Taniguchi, S.Shimasaki, J.S.Park, K.Ueno, V.Bojarevics

● Penetration of microwave radiation into and through metallic powders. [ Solid State Phenomena, 152-153, (2009), 361-364 ] A.P.Anzulevich, V.D.Buchelnikov, I.V.Bychkov, D.V.Louzguine-Luzgin, N.Yoshikawa, M.Sato and A.Inoue

● 超高周波誘導炉. [ エレクトロヒート, 167, (2009), 24-27 ] 池田泰幸, 藤田満, 松下昌規, 佐々木尚, 村田実, 西川雄, 山口大美, 榊原哲朗, 青山佳男, 谷口尚司, 朴鍾守, 嶋崎真一, 鈴木洋, 福田友幸

#### 【総説・解説】

● 金属のマイクロ波加熱の基礎と応用. [ あたりあ(日本金属学会会報), 48 (1), (2009), 3-10, 日本金属学会] 吉川昇

#### 【特許】

● 液体金属液面からの粒子巻き込みを制御する液体金属の電磁攪拌装置. [特開2009-074103] 谷口尚司, 上野和之, 嶋崎真一

● 被処理流体の変調電磁場処理装置と方法. [特許4305855] 大谷裕一, 藤野俊, 沖田和彦, 谷口尚司, 吉川昇, 梅木千真, 加藤拓也

● 被処理流体補給水又は被処理流体の帯電性判定方法と装置及び被処理流体処理方法と装置. [特許4257747] 梅木千真, 谷口尚司, 吉川昇, 島袋治樹, 白井進之助, 沖田和彦, 大谷裕一, 藤野俊

### 循環生態系計画学分野

#### 【論文】

● Automated pre-treatment technique for the determination of bisphenol A and 17beta-estradiol in river water by multi-valve column switching LC/MS. [ BUNSEKI KAGAKU, 58 (4), (2009), 295-299 ] T. Ogura, Y. Watabe, T. Fujita, T. Kubo, K. Hosoya, and K. Kaya,

● Effective recognition on the surface of a polymer prepared by molecular imprinting using ionic complex. [ Macromolecules, 42 (8), (2009), 2911-2915 ] T. Kubo, K. Kaya, K. Hosoya, Y. Tominaga,

● Importance of surface properties of affinity resin for capturing a target protein, Cyclooxygenase-1. [ Bioorganic & Medicinal Chemistry, 17 (4), (2009), 1587-1599 ] T. Mori, T. Kubo, K. Kaya, and K. Hosoya,

● Novel separation medium spongy monolith for high throughput analyses. [ Journal of Chromatography A, 1216, (2009), 7402-7408 ] F. Watanabe, T. Kubo, K. Kaya, K. Hosoya

● Novel Polymer Monolithic Column for Hydrophilic Compounds. [ Chromatographia, 70, (2009), 527-532 ] T. Kubo, F. Watanabe, N. Kimura, K. Kaya, K. Hosoya

● Polymer-based monolithic columns in capillary formant tailored by using controlled in situ polymerization (Review). [ J. Separation Sci., 32, (2009), 341-358 ] H. Aoki, N. Tanaka, T. Kubo, and K. Hosoya,

● Properties of a Non-Aromatic Epoxy Polymer-Based

Monolithic Capillary Column for  $\mu$ -HPLC. [ Chromatographia, 70, (2009), 699-704 ] K. Hosoya, T. Mori, M. Sakamoto, T. Kubo, K. Kaya

●Quantitative evaluations of surface-concentrated amino groups on monolithic type solid supports prepared by co-polymerization method. [ Colloid and Polym. Sci., 287 (5), (2009), 513-523 ] T. Mori, T. Kubo, K. Kaya, and K. Hosoya

● Selective concentration of water-soluble natural toxins using polymer based materials. [ 6th International Workshop on WATER DYNAMICS, (2009) ] T. Kubo, K. Hosoya

●食用藍藻：髮菜(Nostoc flagelliforme)、イシクラゲ(Nostoc commune)、およびスイゼンジノリ(Aphanothece sacrum)の神経毒 BMAA( $\beta$ -N-methylamino-L-alanine)の分析. [ 医学と生物学, 153 (6), (2009), 176-179 ] 竹中裕行, 久保拓也

#### 【著書】

●第3章 3-9 鋳型樹脂. [ 図解 最先端イオン交換技術のすべて, (2009), 工業調査会 ] 久保拓也, 細矢憲

#### 【総説・解説】

●多バルブカラムスイッチング液体クロマトグラフィー/質量分析計を用いる河川水中ビスフェノールAおよび17 $\beta$ -エストラジオール分析における前処理の自動化. [ 分析化学, 58, (2009), 293-299 ] 小倉泰朗, 渡部悦幸, 藤田登美雄, 細矢憲, 久保拓也, 彼谷邦光

#### 【特許】

●クロマトグラフィー用モノリス分離媒体及びその製造方法. [再公表07-083348] 細矢憲

●血球分離材及び血球分離材の製造方法. [特開2009-039350] 須藤邦宏, 中島文一郎, 細矢憲

●水溶性架橋剤を用いた高親水性高分子共連続体. [特開2009-091503] 彼谷邦光, 細矢憲, 木村尚美, 久保拓也

## 環境創成計画学講座

### 環境分子化学分野

#### 【論文】

● Carboxylation of indoles and pyrroles with CO<sub>2</sub> in the presence of dialkylaluminum halides. [ Tetrahedron Letters, 50 (31), (2009), 4512-4514 ] Koji Nemoto, Satoru Onozawa, Naoki Egusa, Naoya Morohashi, Tetsutaro Hattori

● Crystallization-based optical resolution of 1,1'-binaphthalene-2,2'-dicarboxylic acid via 1-phenylethylamides: control by the molecular structure and dielectric property of solvent. [ Tetrahedron Letters, 50 (17), (2009), 1998-2002 ] Yuki Kato, Yuichi Kitamoto, Naoya Morohashi, Yosuke Kuruma, Shuichi

Oi, Kenichi Sakai, Tetsutaro Hattori

#### 【総説・解説】

●溶媒の誘電率によるキラル識別の制御—誘電率制御分割法の原理と有用性. [ 化学, 64 (4), (2009), 68-69, 化学同人

●芳香族化合物のカルボキシル化反応. [使える!有機合成反応実践のてびき, 化学同人, in press.] 服部徹太郎

●カリックス[4] アレーン類のアミノ化反応. [使える!有機合成反応 実践のてびき, 化学同人, in press.] 服部徹太郎

### ライフサイクル評価学分野

#### 【論文】

● A material flow analysis of phosphorus in Japan: The iron and steel industry as a major phosphorus source. [ Journal of Industrial Ecology, 13 (5), (2009), 687-705 ] K. Matsubae-Yokoyama, H. Kubo, K. Nakajima and T. Nagasaka

● Analyzing polyvinyl chloride in Japan with The waste input-output material flow analysis model. [ Journal of Industrial Ecology, 13 (5), (2009), 706-717 ] S. Nakamura, K. Nakajima, Y. Yoshizawa, K. Matsubae-Yokoyama and T. Nagasaka

●Evaluation Method of Recyclability of Metal Resources based on Thermodynamic Analysis. [ Materials Transactions, 50 (3), (2009), 453-460 ] K. Nakajima, O. Takeda, T. Miki and T. Nagasaka

● Exergetic Life Cycle Assessment of New Waste Aluminium Treatment System with Co-production of Pressurized Hydrogen and Aluminium Hydroxide. [ International Journal of Hydrogen Energy, 34, (2009), 153-161 ] T. Hiraki, T. Akiyama

● First high-resolution 11B nuclear magnetic resonance (NMR) spectra of coal fly ash by satellite-transition magic angle spinning (STMAS) NMR. [ Energy & Fuels, 23 (3), (2009), 1778-1780 ] T. Takahashi, S. Kashiwakura, K. Kanehashi and T. Nagasaka

● Removal of Boron from Coal Fly Ash by HCl Washing. [ Fuel, 88 (7), (2009), 1245-1250 ] S. Kashiwakura, H. Kubo, Y. Kumagai, H. Kubo, K. Matsubae-Yokoyama, K. Nakajima and T. Nagasaka

● Substance Flow Analysis of Phosphorus and Manganese Correlated with Korean Steel Industry. [ Resources, Conservation and Recycling, 53 (9), (2009), 479-489 ] Y.-S. Jeong, H. Kubo, K. Matsubae-Yokoyama, J.-J. Pak and T. Nagasaka

●Synthesis of Zeolite-X from Waste Metals. [ ISIJ International, 49 (10), (2009), 1644-1648 ] T.Hiraki, A.Nosaka, N.Okinaka, T.Akiyama

● Thermodynamic evaluation of Cu-Cu<sub>3</sub>P system based on newly determined Gibbs energy of formation of Cu<sub>3</sub>P. [ CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry, 33 (3), (2009), 557-560 ] T. Noda, Y. Suzuki, S. Itoh, M. Hino and T. Nagasaka

●磁気分離法による溶銑脱リンスラグからのリン回収法で生成する残渣スラグのリサイクル効果. [ 鉄と鋼, 95 (3), (2009), 306-312 ]

松八重(横山)一代, 久保裕也, 長坂徹也

●熱力学的解析に基づいた金属の潜在的な資源回収可能性の評価手法. [ 日本金属学会報, 73 (10), (2009), 794-8001 ] 中島謙一, 竹田 修, 三木貴博, 長坂徹也

●マルチフェーズ脱リンスラグからのリン濃縮相の磁気分離. [ 鉄と鋼, 95 (3), (2009), 300-305 ] 久保裕也, 松八重(横山)一代, 長坂徹也

#### 【総説・解説】

●社会基盤素材を介したサブスタンスフロー. [ 廃棄物資源循環学会誌, 20 (5), (2009), 廃棄物資源循環学会] 松八重(横山)一代, 中島謙一, 中村慎一郎, 長坂徹也

●鉄鋼循環におけるレアメタルフロー. [ ふえらむ, 14 (12), (2009), (社)日本鉄鋼協会] 松八重一代, 中島謙一, 中村慎一郎, 長坂徹也

●廃棄物産業連関分析を応用したトップダウン型MFAモデルの開発. [ 廃棄物資源循環学会誌, 20 (5), (2009), 廃棄物資源循環学会] 中島謙一, 中村慎一郎, 松八重一代, 近藤康之, 長坂徹也

#### 【特許】

●電気炉ダストからの酸化亜鉛の回収方法. [特開2009-030121] 長坂徹也, 伊藤聡, 横山一代, 中島謙一

●モルタル製造方法. [特開2009-286682] 山口一良, 北辻政文, 野宮明, 熊谷祐一, 長坂徹也

### 環境調和素材学分野

#### 【論文】

● Calcium Phosphate Porous Materials with Unique Microstructures. [ Key Engineering Materials, 396-398, (2009), 645-648 ] Koji Ioku, Masanobu Kamitakahara, Noriaki Watanabe, Osamu Kawaguchi, Setsuaki Murakami, Tohru Ikeda

●Characterization of Hydroxyapatite Synthesized by Hydrothermal Treatment of Octacalcium Phosphate. [ Archives of BioCeramics Research, 9, (2009), 67-70 ] Natsuko Ito, Masanobu Kamitakahara, Setsuaki Murakami, Noriaki Watanabe and Koji Ioku

● Effect of Ethanol Addition on Hydrothermal Synthesis of Hydroxyapatite. [ Archives of BioCeramics Research, 9, (2009), 71-74 ] Tomoyo Goto, Masanobu Kamitakahara, Koichi Kikuta, Chikara Ohtsuki

● Effect of preparation conditions on the properties of bioactive glasses for testing SBF. [ J. Mater. Sci.: Mater. Med., 20, (2009), 2419-2426 ] Masanobu Kamitakahara, Tasuku Yagi, Chikara Ohtsuki

● Evaluation of Octacalcium Phosphate for Application to Drug Carrier. [ Bioceramics 22, (2009), 27-30 ] N. Ito, M. Kamitakahara, N. Watanabe and K. Ioku

●Evaluation of photocatalytic activity of anatase/hydroxyapatite composite granules for environmental purification. [ Journal of the Ceramic Society of Japan, 117 (1371), (2009), 1172-1174

] Masanobu Kamitakahara, Setsuaki Murakami, Noriaki Watanabe, Shidong Ji, Harumitsu Nishikawa, Koji Ioku

● Fabrication of titania/hydroxyapatite composite granules for photo-catalyst. [ Materials Research Bulletin, 44 (4), (2009), 768-774 ] Shidong Ji, Setsuaki Murakami, Masanobu Kamitakahara, Koji Ioku

● Formation of needle-like hydroxyapatite by hydrothermal treatment of CaHPO<sub>4</sub>·2H<sub>2</sub>O combined with  $\beta$ -Ca<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>. [ Journal of the Ceramic Society of Japan, 117 (1366), (2009), 759-764 ] Tomoko Watanabe, Giichiro Kawachi, Masanobu Kamitakahara, Koichi Kikuta, Chikara Ohtsuki

● Hydrothermal synthesis of hydroxyapatite from octacalcium phosphate: effect of hydrothermal temperature. [ J. Ceram. Soc. Japan, 117 (1363), (2009), 385-387 ] Masanobu Kamitakahara, Natsuko Ito, Setsuaki Murakami, Noriaki Watanabe, Koji Ioku

● Hydrothermal Synthesis of Hydroxyapatite/Titania Granules Using Water-soluble Titanium Complex. [ Archives of BioCeramics Research, 9, (2009), 187-190 ] Masanobu Kamitakahara, Osamu Kawaguchi, Noriaki Watanabe and Koji Ioku

●Mechanical properties of porous hydroxyapatite ceramics composed of rod-shaped particles with controlled aspect ratio. [ Archives of BioCeramics Research, 9, (2009), 263-266 ] S. Murakami, K. Kato, Y. Enari, M. Kamitakahara, N. Watanabe, K. Ioku

● Nearly Superparamagnetic Magnetite Particles as Potential Thermal Seeds for Magnetic Hyperthermia. [ Archives of BioCeramics Research, 9, (2009), 7-12 ] Teppei Kikuchi, Ryo Kasuya, Hiroaki Mamiya, Koji Ioku, Shota Endo, Akira Nakamura, Toshiyuki Takai, Balachandran Jeyadevan

● Osteoconductivity of hydrothermally synthesized beta-tricalcium phosphate composed of rod-shaped particles under mechanical unloading. [ Key Engineering Materials, 396-398, (2009), 253-256 ] Yoshinori Gonda, Koji Ioku, Takatoshi Okuda, Yasuaki Shibata, Masanobu Kamitakahara, Giichiro Kawachi, Ikuho Yonezawa, Hisashi Kurosawa, Tohru Ikeda

● Preparation and characterization of periodic porous frame of hydroxyapatite. [ J. Ceram. Soc. Japan, 117 (1364), (2009), 521-524 ] Liyun Zhou, Deping Wang, Wenhai Huang, Aihua Yao, Masanobu Kamitakahara, Koji Ioku

● Preparation of Colloidal Apatite Particles under Body Fluid Conditions. [ Archives of BioCeramics Research, 9, (2009), 223-226 ] Mineo Hashizume, Yuka Nagasawa, Shin Kawashima, Tomohiko Suzuki, Masanobu Kamitakahara

● Preparation of Globular Hydroxyapatite Composed of Plate-like Particles. [ Processing and Fabrication of Advanced Materials XVIII, 3, (2009), 1385-1392 ] K. Sasaki, M. Kamitakahara, N. Watanabe, K. Ioku

●Preparation of Hydroxyapatite Spheres Composed of Plate-like Particles by Hydrothermal Treatment of Supersaturated Calcium

Phosphate Solution. [ Bioceramics 22, (2009), 39-42 ] K. Sasaki, M. Kamitakahara, N. Watanabe, K. Ioku

●Process of Organic Modification of Octacalcium Phosphates. [ Archives of BioCeramics Research, 9, (2009), 371-374 ] Hidetaka Kato, Taishi Yokoi, Masanobu Kamitakahara, Koichi Kikuta, Chikara Ohtsuki

● Protein adsorption on needle-shaped hydroxyapatite prepared by hydrothermal treatment of mixture composed of CaHPO<sub>4</sub>·2H<sub>2</sub>O and β-Ca<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>. [ Journal of the Ceramic Society of Japan, 117 (1367), (2009), 847-850 ] Giichiro Kawachi, Tomoko Watanabe, Shin-ichi Ogata, Masanobu Kamitakahara, Chikara Ohtsuki

● Stimulatory effect of hydrothermally synthesized biodegradable hydroxyapatite granules on osteogenesis and direct association with osteoclasts. [ Biomaterials, 30 (26), (2009), 4390-4400 ] Y. Gonda, K. Ioku, Y. Shibata, T. Okuda, G. Kawachi, M. Kamitakahara, H. Murayama, K. Hideshima, S. Kamihira, I. Yonezawa, H. Kurosawa, T. Ikeda T

●Surface Characterization of Hydroxyapatite with Specific Crystal Face Tailored by Hydrothermal Process. [ Bioceramics 22, (2009), 55-58 ] Y. Enari, M. Kamitakahara, N. Watanabe and K. Ioku

●Synthesis of bioactive HEMA-MPS-CaCl<sub>2</sub> hybrid gels : Effects of catalysts in the sol-gel processing on mechanical properties and in vitro hydroxyapatite formation in a simulated body fluid. [ Journal of Biomaterials Applications, 23 (6), (2009), 519-532 ] Tomohiro Uchino, Chikara Ohtsuki, Masanobu Kamitakahara, Toshiki Miyazaki, Satoshi Hayakawa, Akiyoshi Osaka

● Synthesis of Hydroxyapatite-Poly(vinyl alcohol) Composite through Hydrothermal Treatment of Dicalcium Phosphate Dihydrate. [ Bioceramics 22, (2009), 595-598 ] T. Goto, M. Kamitakahara, G. Kawachi, K. Kikuta, C. Ohtsuki

● Synthesis of Silicon-doped Tricalcium Phosphate through Wet Chemical Process. [ Bioceramics 22, (2009), 31-34 ] M. Kamitakahara, H. Kamura, N. Watanabe, K. Ioku and C. Ohtsuki

● The resorption with bone replacement of calcium-deficient hydroxyapatite with unique microstructure. [ Processing and Fabrication of Advanced Materials XVIII, 3, (2009), 1113-1122 ] Koji Ioku, Masanobu Kamitakahara, Tohru Ikeda

●活性型及び非活性型破骨細胞を用いた低重力実験：要素技術の調査研究. [ Space Utilization Research, 25, (2009), 128-130 ] 池田通, 糸井康宏, 井奥洪二, 権田芳範, 柴田恭明, 戸田一雄, 関幸子

●過熱水蒸気によるスギの葉からの有機物質の抽出および抽出物の抗菌活性の評価. [廃棄物資源循環学会論文誌, 20 (6), (2009), 361-370] 李志霞, 林宏飛, 山崎伸道, 上高原理暢, 井奥洪二

#### 【著書】

●第6章 リン酸カルシウム系セラミックバイオマテリアルの創製法. [ セラミックバイオマテリアル, (2009), コロナ社 ] 尾坂明義, 石

川邦夫, 大槻主税, 井奥洪二, 中村美穂, 上高原理暢

#### 【総説・解説】

●Bioactive ceramic-based materials with designed reactivity for bone tissue regeneration. [ Journal of the Royal Society Interface, 6 (Issue SUPPL. 3), (2009), S349-S360, The Royal Society] Chikara Ohtsuki, Masanobu Kamitakahara, Toshiki Miyazaki

● Hydroxyapatite ceramics for medical application prepared by hydrothermal method.[ Phosphorus Research Bulletin, 23, (2009), 25-30, 日本無機リン化学会] Koji Ioku, Masanobu Kamitakahara

●骨代謝に組み込まれるリン酸カルシウムセラミックス. [ Phosphorus Letter, (65), (2009), 8-15, 日本無機リン化学会] 井奥洪二, 上高原理暢, 米澤郁穂, 黒澤尚, 池田通

#### 【特許】

●DDSを目指した顆粒状アパタイトおよびその作製法. [特許4366105] 井奥洪二, 後藤誠史, 藤森宏高, 戸田麻奈美

●抗菌性セラミックス. [特許4335376] 後藤誠史, 井奥洪二, 青木秀希, 松田健一郎, 青木秀夫

●繊維芽細胞成長因子徐放性生体材料. [特開2009-018086] 六崎裕高, 鶴嶋英夫, 伊藤敦夫, 大矢根綾子, 十河友, 井奥洪二, 佐々木健吉, 上高原理暢, 坂根正孝, 落合直之

### 環境創成機能素材分野

#### 【論文】

●Control of Deposits and Porous Properties of Hydrothermally Solidified Materials Using Clays. [ J. Am.Ceram. Soc., 92 (12), (2009), 3101-3104 ] H. Maeda, A. Furusato, E.H. Ishida

● High-damping and high-rigidity composites of Al<sub>2</sub>TiO<sub>5</sub>-MgTi<sub>2</sub>O<sub>5</sub> ceramics and acrylic resin. [ Journal of Materials Science, 44, (2009), 93-101 ] T. Shimazu, H. Maeda, E. H. Ishida, M. Miura, N. Isu, A. Ichikawa, K. Ota

● Hydrothermal solidification of green tuff/tobermorite composites. [ J. Ceramic soc. Japan, 117 (1371), (2009), 1221-1224 ] M. Takagi, H. Maeda, E. H. Ishida

●Hydrothermal solidification of zeolite/tobermorite composites. [ Journal of Ceramic Society of Japan, 117 (1362), (2009), 147-151 ] Hirotaka Maeda, Takakuni Okada, Emile H. Ishida

● Potential utilization of riverbed sediments by hydrothermal solidification and its hardening mechanism. [ Journal of Environmental Management, 90, (2009), 1744-1750 ] Z. Jing, F. Jing, N. Yamasaki, H. Maeda, and E. H. Ishida

●Preparation of hydrothermally solidified mesoporous materials from diatomaceous earth for moisture control application. [ International Journal of Applied Ceramic Technology, 6 (3), (2009), 431-436 ] H. Maeda, S. Kato and E. H. Ishida

● Solidification mechanism of allophane by hydrothermal

reaction. [ Applied Clay Science, 44, (2009), 71-74 ] H. Maeda, Y. Hashimoto and E. H. Ishida

●Water vapor adsorption and desorption of mesoporous materials derived from metakaolinite by hydrothermal treatment. [ Ceramics International, 35 (3), (2009), 987-990 ] H. Maeda and E. H. Ishida

● Water vapor adsorption and desorption on materials hydrothermally solodified from clay minerals. [ J. Am. Ceram. Soc., 92 (9), (2009), 2125-2128 ] H. Maeda, E. H. Ishida

#### 【著書】

●第1章-第9章. [ 自然に学ぶ粋なテクノロジー, (2009), 1-229, 同人化学 ] 石田秀輝

●3-7 力学的性質. [ 粘土ハンドブック第3版, (2009), 421-430, 技報堂出版 ] 日本粘土学会監修 石田秀輝他

#### 【総説・解説】

●自然に学ぶ粋なテクノロジー. [ JREA, 52 (9), (2009), 34466-34468, (社)日本鉄道技術協会] 石田秀輝

●自然のすごさを賢く活かす粋なものづくり. [ 宙舞, (64), (2009), 2-5, (社)自動車技術会 中部支部] 石田秀輝

●自然のすごさを賢く活かすネイチャーテクノロジーの世界. [ 季刊大林, (51), (2009), 26-29, (株)大林組広報室] 石田秀輝

●樹冠都市構想. [ 季刊大林, (51), (2009), 42-55, (株)大林組広報室] 大林組プロジェクトチーム, 藤森照信, 石田秀輝

●循環型社会の新しいものづくりのかたち. [ 日本文理大学公開講座記録集, (2009), 19-41, 日本文理大学] 石田秀輝

●生物多様性は企業経営の基盤. [ 環境会議, 春, (2009), 193-198, 宣伝会議] 石田秀輝

●地球環境から見たライフスタイルのかたち. [ H&E Letter, (16), (2009), 1-2, 住まいと環境東北フォーラム] 石田秀輝, 古川柳蔵

●地球環境問題とネイチャー・テクノロジー. [ 鉄道と電気技術, 20 (4), (2009), 3-8, (社)日本鉄道電気技術協会] 石田秀輝

●低炭素社会に求められる新しいテクノロジーのかたち. [ Re (Building Maintenance & Management), (164), (2009), 11-14, (財)建築保全センター] 石田秀輝

●ネイチャー・テクノロジー事始. [ まてりあ, 48 (4), (2009), 156-159, (社)日本金属学会] 石田秀輝

●ネイチャーテクノロジー研究会ワークショップ. [ ものづくり推進会議 ネイチャーテクノロジー研究会, (2009), 1-29, 日刊工業新聞] 古川柳蔵, 石田秀輝

●ネイチャーテクノロジーの卵たち. [ 季刊大林, (51), (2009), 30-35, (株)大林組広報室] 石田秀輝

●不思議な自然の世界からテクノロジーを写しとる「ネイチャー・テクノロジー」. [ CERAMIC DATA BOOK 2009/10, 37 (91), (2009), 83-85, 工業製品技術協会] 石田秀輝

#### 【特許】

●水熱固化体の製造方法. [特許4340058] 前浪洋輝, 田中英昭,

井須紀文, 石田秀輝

●積層体、板状建材、天面材及びその設置構造. [特開2009-220512] 嶋津季朗, 三浦正嗣, 井須紀文, 山嵯悟, 石田秀輝

●無機水熱固化体及びその製造方法並びに水熱固化体を使用した物. [特開2009-227511] 石田秀輝, 景鎮子, 前田浩孝, 古川柳蔵, 岡田大邦, 鈴木浩一

### 環境調和材料強度学分野

#### 【論文】

● As-cast microstructure and their changes by heat treatment in Mo-Si-B ternary alloys. [ Report of the 123rd Committee on Heat-Resisting Materials and Alloys, Japan Society for the Promotion of Science, 50 (2), (2009), 243-254 ] Seong-Ho Ha, Kyosuke Yoshimi and Kouichi Maruyama

● Carbon Coating on Iron Substrate Produced by Plasma Spraying Using Fullerene Granules. [ Journal of the Japan Society for Heat Treatment, Special Issue for the Proceedings of the17th IFHTSE Congress, 49 (Special Issue Vol.1), (2009), 225-228 ] Kyosuke Yoshimi, Tatsuo Ohba, Kouichi Maruyama

●Cr Concentration Dependence of Overestimation of Long Term Creep Life in Strength Enhanced High Cr Ferritic Steels. [ Creep and Fracture in High Temperature Components -- Design and Life Assessment Issues, (2009), 964-973 ] K. Maruyama, H. Ghassemi Armaki, R.P. Chen, K. Yoshimi, M. Yoshizawa, M. Igarashi

●Effects of eutectic compounds formed along grain boundaries in thixomolded® alloy Mg<sub>96</sub>Zn<sub>2</sub>Y<sub>2</sub> on creep deformation. [ Materials Transaction, 50 (6), (2009), 1426-1432 ] A. Shibata, M. Suzuki, and K. Maruyama

● Effect of particle size of Mo solid solution on hardness of Mo<sub>5</sub>SiB<sub>2</sub>/Mo-based alloys. [ Materials Research Society Symposium Proceedings, 1128, (2009), 431-436 ] Kyosuke Yoshimi, Yusuke Kondo and Kouichi Maruyama

● Effect of precipitates on long-term creep deformation properties of P92 and P122 type advanced ferritic steels for USC power plants. [ Materials Science and Engineering A, 510-511 (C), (2009), 162-168 ] M. Yoshizawa, M. Igarashi, K. Moriguchi, A. Iseda, Hassan Ghassemi Armaki, and K. Maruyama

●Effects of samarium (Sm) additions on the microstructure and mechanical properties of as-cast and hot-extruded Mg-5wt%Al-3wt%Ca-based alloys. [ Journal of Alloys and Compounds, 473 (1-2), (2009), 446-452 ] Hyeon-Taek Son, Jae-Seol Lee, Dae-Guen Kim, Kyosuke Yoshimi, Kouichi Maruyama

● Effects of Stacking Faults on High Temperature Creep Behavior in Mg-Y-Zn Based Alloys. [ Mater. Sci. Forum, (2009) ] M. Suzuki and K. Maruyama

● Heat Treatment Effect on Self-Assembling Process of Supersaturated Thermal Vacancies in B2-Type Aluminides. [



---

---

Journal of the Japan Society for Heat Treatment, Special Issue for the Proceedings of the 17th IFHTSE Congress, 49 (Special Issue Vol.1), (2009), 292-295 ] Masafumi Tsunekane, Kyosuke Yoshimi, Kouichi Maruyama

- Nanostructure controlling in Zr-based metallic glasses using icosahedral local structure. [ Journal of Alloys and Compounds, 483 (1-2), (2009), 231-234 ] J. Saida, H. Kato, A.D. Setyawan, K. Yoshimi and A. Inoue
- Static recovery of tempered lath martensite microstructures during long-term aging in 9-12% Cr heat resistant steels. [Materials Letters, 63 (28), (2009), 2423-2425] H. Ghassemi Armaki, R.P. Chen, K. Maruyama, M. Yoshizawa and M. Igarashi
- Strengthening of Lamellar TiAl Alloys by Precipitation Bands of  $\beta$ o Particles. [ Materials Science and Engineering A, 510-511 (C), (2009), 14-19 ] Hanliang Zhu, D.Y. Seo, K. Maruyama

#### 【特許】

- 摩擦攪拌接合用ツール及び摩擦攪拌接合装置. [特許4325875] 朴勝煥, 平野聡, 佐藤裕, 吉見享祐, 粉川博之

---

## 環境物質制御学講座

### 環境物質制御学分野

#### 【論文】

- Biodistribution imaging of magnetic particles in mice: X-ray scanning analytical microscopy and magnetic resonance imaging. [ Bio-Medical Materials and Engineering, 19 (2-3), (2009), 213-220 ] S. Abe, I. Kida, M. Esaki, T. Akasaka, M. Uo, T. Hosono, Y. Sato, B. Jeyadevan, Y. Kuboki, M. Morita, K. Tohji, F. Watari
- Glycothermal synthesis and characterization of scheelite-type NaEuW<sub>2</sub>O<sub>8</sub> nanophosphors. [ Journal of the Electrochemical Society, 156 (9), (2009), J278-J282 ] Ryo Kasuya, Tetsuhiko Isobe
- Heat diffusion characteristics of magnetite nanoparticles dispersed hydro-gel in alternating magnetic field. [ Journal of Magnetism and Magnetic Materials, 321, (2009), 3483-3487 ] M. Suto, H. Kosukegawa, K. Maruta, M. Ohta, K. Tohji, B. Jeyadevan
- Heat Dissipation Mechanism for Magnetite Nanoparticle in Magnetic Fluid Hyperthermia. [ Journal of the Magnetics Society of Japan, 33 (4), (2009), 391-395 ] M. Suto, Y. Hirota, H. Mamiya, R. Kasuya, A. Fujita, K. Tohji, B. Jeyadevan
- Heat dissipation mechanism of magnetite nanoparticles in magnetic fluid hyperthermia. [ Journal of Magnetism and Magnetic Materials, 321 (10), (2009), 1493-1496 ] M. Suto, Y. Hirota, M. Mamiya, A. Fujita, R. Kasuya, K. Tohji, B. Jeyadevan
- Synthesis and Characterization of Magnetic Iron Oxide Nanoparticles Suitable for Hyperthermia. [ Thermal Medicine,

25 (2), (2009), 43-52 ] B. Jeyadevan, T. Atsumi, M. Suto, R. Kasuya, Y. Sato, K. Tohji

- Synthesis of magnetite nanoparticles for AC magnetic heating. [ Journal of Magnetism and Magnetic Materials, 321, (2009), 3019-3023 ] T. Hosono, H. Takahashi, A. Fujita, R. J. Joseyphus, K. Tohji, B. Jeyadevan
- Preparation and characterization of lanthanum carbide encapsulated carbon nanocapsule/lanthanum hexaboride nanocomposites. [ Materials Letters, 63, (2009), 1307-1310 ] M. Namura, I. Waki, Y. Sato, G. Yamamoto, A. Okubo, H. Kimura, N. Osaka, K. Motomiya, T. Hashida, B. Jeyadevan, K. Tohji
- 磁気温熱療法に適した磁性酸化鉄ナノ粒子の合成と特性評価. [ Thermal Medicine, 25 (2), (2009), 43-52 ] パラチャンドラン・ジャヤデワン, 渥美崇, 須藤誠, 粕谷亮, 佐藤義倫, 田路和幸
- 磁性流体温熱療法のためのマグネタイトナノ粒子の発熱機構の検討. [ Journal of the Magnetic Society of Japan, 33 (4), (2009), 391-395 ] 須藤誠, 廣田泰丈, 間宮広明, 粕谷亮, 藤田麻哉, 田路和幸, パラチャンドラン・ジャヤデワン

#### 【特許】

- 酸化鉄ナノ粒子. [特開2009-280505] パラチャンドラン ジャヤデワン, 廣田泰丈
- 有機物質で被覆された銀微粉の製法および銀微粉. [特許4294705] 佐藤王高, パラチャンドラン・ジャヤデワン, 田路和幸

### 地圏環境学分野

#### 【論文】

- Dechlorination of TCE in Anaerobic Bacteria Culture with Sulfate Rich Condition. [ Proceedings of 3rd International Contaminated Site Remediation Conference, (2009), 260-261 ] Kotaro Ise, Koichi Suto, and Chihiro Inoue
- Microbial diversity of deep-sea sediment cultured under Fe(II) rich condition. [ Abstract book of 11th stmposium on aquatic microbial ecology, (2009), 71-71 ] Yui Takahashi, koichi Suto, Chihiro Inoue, and Takashi Ooka
- Preferential Biodgradation of Equivalent Carbon Number-based Aromatic Hydrocarbon Fractions in Mineral Oil. [ Proceedings of 3rd International Contaminated Site Remediation Conference, (2009), 254-255 ] Hernando P. Bacosa, Koichi Suto, and Chihiro Inoue
- Studies on thermophilic bioleaching of chalcopyrite toward heap application. [ Advanced Materials Research, 71-73, (2009), 357-360 ] Javier Vilcaez, Koichi Suto and Chihiro Inoue
- Trichloroethylene Transformation in Aerobic Pyrite Suspension: Pathways and Kinetic Modeling. [ Environmental Science & Technology, 43 (17), (2009), 6744-6749 ] Pham Thi Hoa, Koichi Suto, Chihiro Inoue
- CFD解析と実験によるバツフル設置加圧浮上槽の検討. [ 環境

工学研究論文集, 46, (2009), 145-145 ] 寺嶋光春, 岩崎守, 安井英斉, ラジブ・ゴエル, 井上千弘, 須藤孝一

- WEEE中の金属リサイクルに関する研究—金属含有量イベントリ作成のための調査. [Journal of MMIJ, 125(2), (2009), 75-80] , 白鳥寿一, 湯本徹也
- 集積培養における鉄酸化細菌と真菌との相互関係の推定. [ Journal of MMIJ, 125 (4, 5), (2009), 165-170 ] 趙政珍, 横田敦, 須藤孝一, 井上千弘, 千田侑
- 使用済み小型電子・電気機器の回収試験と回収量評価. [J. MMIJ, 125(10, 11), (2009), 547-554] 狩野真吾, 白鳥寿一, 中村崇

#### 【総説・解説】

- レアメタルリサイクルで期待される粉体技術. [粉体技術, 1(5), (2009), 16-21] 中村崇, 白鳥寿一

### 環境機能材料学分野

#### 【特許】

- アルカリ電解液電池用正極活物質およびそれを用いたアルカリ電解液電池. [特許4374430] 西佐古将, 伊藤有一, 永田長寿

---

## 環境適合材料創製学講座

### 環境適合材料創製学分野

#### 【論文】

- Factors Accelerating Dioxin Emission from Iron Ore Sintering Machines. [ISIJ International, 49 (5) , (2009), 729-734] Masanori NAKANO, Kazuyuki MORII and Takehiko SATO
- Type IV damage mechanism due to the microstructure weakening for HAZ of multilayered joint of the W containing 9%Cr ferritic creep resistant steel. [Proceedings of Creep and Fracture in High Temperature Components – Design and Life Assessment, 2nd ECCC international Conference, (2009), 995-995] Yasushi Hasegawa, Masaaki Sugiyama and Kazuto Kawakami.
- Type IV damage mechanism due to the microstructure weakening for HAZ of multilayered joint of the W containing 9%Cr ferritic creep resistant steel. [Internet Journal of Operation Maintenance and Materials Issues, 6 (2), (2009)] Yasushi Hasegawa, Masaaki Sugiyama and Kazuto Kawakami.

#### 【特許】

- コモンレールの製造方法およびレーザ加工装置. [特開2009-074417] 平野弘二, 杉橋敦史, 今井浩文, 長谷川泰士
- 機械部品の液相拡散接合方法. [特開2009-131904] 長谷川泰士, 篠原康浩, 高木豊
- コモンレール. [特開2009-150272] 平野弘二, 杉橋敦史, 今井浩

文, 長谷川泰士

- 低温靱性、亀裂伝搬停止特性に優れた高張力鋼の製造方法. [特開2009-179840] 海老原潔, 俣田伸彦, 南見, 長谷川泰士
- コモンレールの製造方法および部分強化されたコモンレール. [特開2009-221910] 杉橋敦史, 平野弘二, 長谷川泰士
- 液相拡散接合用金属部材. [特開2009-241111] 山岡育郎, 長谷川泰士, 大原伸一, 藤井正
- 軟磁気特性に優れた急冷凝固薄帯. [特許4268621] 佐藤有一, 坂本広明
- 急冷凝固薄帯の巻取方法および装置. [特許4256566] 佐藤有一
- 銅とステンレス鋼のクラッド材製造法. [特許4256568] 佐藤有一, 尾崎茂克
- 高純度フェロボロン、鉄基非晶質合金用母合金および鉄基非晶質合金の製造方法. [特許4256617] 竹内順, 佐藤有一, 坂本広明
- 鉄系非晶質合金用母合金. [特許4267214] 佐藤有一, 坂本広明
- 接合用の鉄基非晶質合金箔. [特許4267494] 佐藤有一, 坂本広明, 長谷川泰士, 津留英司, 篠原康浩
- 鉄系接合用合金. [特許4388332] 佐藤有一, 坂本広明, 長谷川泰士, 都留英司, 篠原康浩
- 軟磁気特性に優れたFe基非晶質合金薄帯、それを用いて製造した鉄心およびそれらに用いる急冷凝固薄帯製造用母合金. [特許4402960] 坂本広明, 佐藤有一
- セラミックスと銅のクラッド材製造方法. [特許4414556] 佐藤有一, 尾崎茂克
- 高耐食性溶融Zn系めっき鋼材. [再公表07-108496] 能勢幸一, 徳田公平, 佐藤有一, 仲澤真人

---

## 地球環境変動学講座

### 地球環境変動学分野

#### 【論文】

- Characterization of Tropospheric Emission Spectrometer (TES) CO<sub>2</sub> for carbon cycle science. [Atmos. Chem. Phys. Discuss., 9, (2009), 27401-27464] Kulawik, S. S., Jones, D. B. A., Nassar, R., Irion, F. W., Worden, J. R., Bowman, K. W., Machida, T., Matsueda, H., Sawa, Y., Biraud, S. C., Fischer, M., and Jacobson, A. R.
- Column-averaged volume mixing ratio of CO<sub>2</sub> measured with ground-based Fourier transform spectrometer at Tsukuba. [J. Geophys. Res., 114 (18), (2009), D18303] Ohyama, H., I. Morino, T. Nagahama, T. Machida, H. Suto, H. Oguma, Y. Sawa, H. Matsueda, N. Sugimoto, H. Nakane, and K. Nakagawa.
- Evaluation of Cl<sub>a</sub>MS, KASIMA and ECHAM5/MESSy1 simulations in the lower stratosphere using observations of Odin/SMR and ILAS/ILAS-II. [Atmos.Chem. Phys., 9, (2009), 5759-5783] Khosrawi, F., R. Müller, M. H. Proffitt, R. Ruhnke, O. Kirner, P. Jöckel, J. –U. Grooß, J. Urban, D. Murtagh, and H. Nakajima.

---

---

●First year of upper tropospheric integrated content of CO<sub>2</sub> from IASI hyperspectral infrared observations. [Atmos. Chem. Phys., 9, (2009), 4797-4810] Crevoisier, C., Chédin, A., Matsueda, H., Machida, T., Armante, R., and Scott, N. A.

● Formation mechanisms of latitudinal CO<sub>2</sub> gradients in the upper troposphere over the subtropics and tropics. [J. Geophys. Res., 114 (3), (2009), D03306] Miyazaki, K., T. Machida, P. K. Patra, T. Iwasaki, Y. Sawa, H. Matsueda, and T. Nakazawa.

●Longitudinal dependent ozone increase in the Antarctic polar vortex revealed by balloon and satellite observations. [J. Atmos. Sci., 66, (2009), 1807-1820] Sato, K., Y. Tomikawa, G. Hashida, T. Yamanouchi, H. Nakajima, and T. Sugita.

●Theoretical and experimental evaluation of the isotope effect of NDIR analyzer on atmospheric CO<sub>2</sub> measurement. [J. Geophys. Res., 114 (13), (2009), D13302] Tohjima Y., K. Katsumata, I. Morino, H. Mukai, T. Machida, I. Akama, T. Amari, U. Tsunogai.

●Validation of water vapour profiles (version 13) retrieved by the IMK/IAA scientific retrieval processor based on full resolution spectra measured by MIPAS on board Envisat. [Atmos. Meas. Tech., 2, (2009), 379-399] Milz, M., T. v. Clarmann, P. Bernath, C. Boone, S. Chauhan, B. Deuber, D. G. Feist, B. Funke, N. Glatthor, U. Grabowski, A. Griesfeller, A. Haeferle, M. Höpfner, N. Kämpfer, S. Kellmann, A. Linden, S. Müller, H. Nakajima, H. Oelhaf, E. Remsberg, S. Rohs, J. M. Russell III, C. Schiller, G. P. Stiller, T. Sugita, T. Tanaka, H. Vömel, K. Walker, G. Wetzell, T. Yokota, V. Yushkov, and G. Zhang.

#### 【総説・解説】

●国際定期便の航空機を用いた地球規模のCO<sub>2</sub>観測から分かってきたこと. [日本薬学会誌ファルマシア, 45 (2), (2009), 155-159, 日本薬学会] 町田敏暢

●気候変動を測る民間航空機. [パリティ, 24 (33), (2009), 22-24, 丸善] 町田敏暢

#### 【著書】

●氷床コアからわかること. [気象ブックス026 ココが知りたい地球温暖化(国立環境研究所地球環境研究センター編著), (2009), 9-13, 成山堂書店] 町田敏暢

#### 【特許】

●航空機搭載型二酸化炭素連続測定装置. [特開2009-092630] 松枝秀和, 町田敏暢, 近藤直人, 後藤啓太

●航空機搭載型大気自動フラスコサンプリング装置. [特開2009-092631] 松枝秀和, 町田敏暢, 近藤直人, 後藤啓太

---

---

## 環境リスク評価学講座

### 環境リスク評価学分野

#### 【論文】

● Bacterial and Archaeal 16S rRNA Genes in Late Pleistocene to Holocene Muddy Sediments from the Kanto Plain of Japan. [GEOMICROBIOLOGY JOURNAL, 26, (2009), 104-118] M. Takeuchi, T. Komai. K. Kimura, and Y. Kamagata.

● Characterization of sand sediment by pore size distribution and permeability using proton nuclear magnetic resonance measurement. [JOURNAL OF GEOPHYSICAL RESEARCH, 113, (2009), H. Minagawa, Y. Sakamoto, T. Komai, H. Narita.

● Chemistry of fly ash and cyclone ash leachate from waste materials and effects of ash leachates on bacterial growth, nitrogen transformation activity and metal accumulation. [JOURNAL OF HAZARDOUS MATERIALS, 165(1-3), (2009), 967-973] M. Takeuchi, H. Kawahata, T. Komai and Y. Ono.

●Effects of the maturity of wood waste compost on the structural features of humic acids. [BIORESOURCE TECHNOLOGY, 100 (2), (2009), 791-797] M. Fukushima, K. Otsuka, T. Komai, Y. Aramaki, and S. Horiya.

● Numerical Study on Dissociation of Methane Hydrate and Gas Production Behavior in Laboratory-Scale Experiments for Depressurization: Part 3 - Numerical Study on Estimation of Permeability in Methane Hydrate Reservoir. [INTERNATIONAL JOURNAL OF OFFSHORE AND POLAR ENGINEERING, 19 (2), (2009)] Y. Sakamoto, T. Komai, M. Shimogawara, T. Komai, T. Yamaguchi.

● Studies of structural alterations of humic acids from conifer bark residue during composting by pyrolysis-gas chromatography/mass spectrometry using tetramethylammonium hydroxide (TMAH-py-GC/MS). [JOURNAL OF ANALYTICAL AND APPLIED PYROLYSIS, 86, 200-206] M. Fukushima, M. Yamamoto and T. Komai.

●NMRを用いたメタンハイドレートの孔隙内生成・分解挙動のその場観察. [日本エネルギー学会誌, 87 (12), (2009)] N. Takahara, Y. Sakamoto, Hi. Minagawa, T. Komai, and T. Yamaguchi.

●地圏環境リスク評価システムによる油汚染土壌の暴露・リスク評価—芳香族TPHの懸念レベルの推定—. [土木工学論文集G, 64 (2), (2009), 144-150] 川辺能成, 西脇淳子, 坂本靖英, 原淳子, 竹内美緒, 駒井武

●窒素ガス圧入法によるメタンハイドレートの生産性評価手法に関する研究. [石油技術協会誌, 74(4), (2009), 325-333] 羽田博憲, 坂本靖英, 駒井武

●ネパール・タライ低地におけるヒ素汚染調査. [環境情報研究, 16, (2009), 13-22] 中村圭三, 大岡健三, 駒井武

●メタンハイドレート堆積物の浸透率特性 —東部南海トラフ基礎

---

---

試錐メタンハイドレート堆積物の浸透率評価— [石油技術協会誌, 74 (5), 472-485, (2009)] 皆川秀紀, 坂本靖英, 駒井武.

#### 【総説・解説】

●土壌汚染の環境リスクとガバナンス. [セーフティダイジェスト, 55 (9), (2009), 7-11] 駒井武

●土壌汚染のリスク管理と地圏環境情報の活用. [環境浄化技術, 7 (9), (2009), 14-17] 駒井武, 竹内美緒

#### 【著書】

●化学技術・環境ハンドブック—バイオレディエーション・地下水モニタリング—. [(2009), 丸善出版] 駒井武, 竹内美緒

●土壌・地下水汚染・原位置浄化技術の開発と実用化. [(2009), シーエムシー出版] 川辺能成, 駒井武

#### 【特許】

●低温ガスハイドレート法を用いた二酸化炭素ガス濃縮方法及び二酸化炭素ガス分離法 [特許4296265] 山本佳孝, 川村太郎, ジョー・ユン, 駒井武

---

---

## バイオエコマネジメント学講座

### バイオエコマネジメント学分野

#### 【総説・解説】

●通電による微生物機能の制御. [生物工学会誌, 87 (5), (2009), 224-227] 松本伯夫

#### 【著書】

●電気による微生物の制御(その12)—電位調整が硫酸還元菌の生物活性に与える効果—. [電力中央研究所報告, V08040, (2009)] 平野伸一, 松本伯夫, 大村直也

●電気による微生物の制御(その13)—環境微生物の菌叢に与える電子メディエータと酸化還元電位の効果—. [電力中央研究所報告, V08038, (2009)] 佐藤宏, 松本伯夫

●藻類によるCO<sub>2</sub>利用. [CO<sub>2</sub>固定化・削減と有効利用(湯川英明監修)(2009), シーエムシー出版] 渡部良朋

#### 【特許】

●硫酸還元細菌の培養方法. [特開2009-178145] 平野伸一, 松本伯夫, 大村直也

●六価クロムを還元する微生物及びこの微生物を利用した環境浄化方法. [特開2009-207404] 平野伸一, 松本伯夫, 大村直也

---

---

## 高度環境政策・技術マネジメント人材養成ユニット

#### 【特許】

●無機水熱固化体及びその製造方法並びに水熱固化体を使用した物. [特開2009-227511] 石田秀輝, 景鎮子, 前田浩孝, 古川柳蔵, 岡田大邦, 鈴木浩一

---

---

## 分子鑄型プロジェクト

#### 【論文】

● Automated pre-treatment technique for the determination of bisphenol A and 17-beta-estradiol in river water by multi-valve column switching LC/MS. [Bunseki Kagaku, 58, (2009), 293-299] Ogura, T., Watabe, Y., Fujita, T., Kubo, T., Hosoya, K., and Kaya, K.

●Effective recognition on the surface of a polymer prepared by molecular imprinting using ionic complex. [Macromolecules, 42, (2009), 2911-2915] Tominaga, Y., Kubo, T., Kaya, K. and Hosoya, K

●Extraction of cyanostatins and their analysis with microcystins and anabaenopeptin-A, in a 21-year archive of cyanobacterial bloom samples. [Algological Studies, 130, (2009), 53-68] Codd, G.A., Morrison, L.F., Nath, M., Sano, T. and Kaya, K

● Investigation of perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA) in freshwater and seawater in Thailand. [J. Environ. Chem., 19, (2009), 479-485] Takagi,H, Nagano, K. Sano, T., and Kaya, K

●Novel polymer monolithic column for hydrophilic compounds. [Chromatographia, 70, (2009), 527-532] Kubo, T., Watanabe, F., Kimura, N., Kaya, K. and Hosoya, K